

Export Catalogue



System of certified
management Organization

UNI CEI EN ISO 13485:2016



INTERMED

Medical Solutions and Devices






INTERMED started its business in March 1996 as the exclusive distributor for Italy in the field of medical diagnostics. Since then, **INTERMED** has steadily grown, expanding its offering, becoming one of the leading Italian market players in the distribution of medical and / or rehabilitation products and solutions.

Continuous professional expertise, based on technical and scientific training courses, is an added value that allows **INTERMED** to continue to innovate, research and then offer cutting-edge products and solutions.

Over 100 Certified Manufacturers in the Italian and international market that produce our specifications or have entrusted **INTERMED** with the distribution of their products and services. These products from leading Market Companies are therefore complemented by a wide range of **INTERMED** brand products ranging from diagnostics, to consumable to rehabilitation and orthopedics.

INTERMED also offers a technical support service for all issues that may emerge post sale, using its own certified Technical Laboratory, able to operate on the entire **INTERMED** product portfolio, constantly updated with technical courses delivered directly by the Producer Partners.

Five product lines with the company brand, whose purpose is to structure the **INTERMED** offer by type of function and market segment:

-  **LifeMED** medical and healthcare products and personal care
-  **Tel-eMED** innovative solutions for telemedicine services
-  **PraxiMED** products for professional diagnostics and hospitalization
-  **RehaMED** aids and products for mobility and rehabilitation
-  **DynaMED** solutions for orthopedic support



www.intermeditalia.it



Tel. +39 02 98 24 80 16



Fax +39 02 98 24 73 61

For a better communication experience, we suggest you contact us by email.



For general inquiries
info@intermeditalia.it

For orders and logistics requests
serv.commerciale@intermeditalia.it

For offers conditions
ufficio.gare@intermeditalia.it

For technical assistance inquiries
assistenza@intermeditalia.it



Intermed S.r.l.
via Ludovico d'Aragona, 11
20132 - Milano (MI) - Italy

Follow us



[linkedin.com/company/Intermed S.r.l.](https://www.linkedin.com/company/Intermed-S.r.l.)



[facebook.com/intermedsrl](https://www.facebook.com/intermedsrl)



[youtube.com/user/Intermedtube](https://www.youtube.com/user/Intermedtube)


Indice

AquaProtect	134	therapy balls	136
armchairs	52	tilting wheelchairs	34
axillary walke	78	toilet lift cover	90
bariatric rollator	87	toilet seats	89
bath boards	99	transfer axis	131
bath mats	111	walkers	73
bath sponge	131	washing kit	132
bathtub seats	92 - 102 - 116	wheelchairs	2
bed rails	68		
beds	63		
belts	39 - 67		
commodes	113		
cushion lifter	67		
cushions	110		
cutlery	126		
electric wheelchairs	29		
folding beds	66		
footrest	132		
frames for toilet	112		
glass	124		
hygienic shower chairs	108		
hygienic shower stools	108		
patient lifters	55		
pedal exercisers	136		
pillows	71		
plates	123		
ramps	38		
reachers	122		
rollators	83		
rotating discs	131		
scooters	43		
shoe horn	129		
shower chairs	97 - 104 - 116		
shower stools	94 - 103 -		
slings	60		
sock aids	130		
special wheelchairs	26		
stand-up chairs	71		
tables	70		

WHEELCHAIRS



Wheelchair with folding frame, foldable semi-desk armrests, removable and height-adjustable footrests. Available with 24" rear wheels with solid PU tire, 8" plastic front wheels with solid PU tire. Seat cloth in padded Nylon with rear pocket on the back (available in fireproof version on request) and safety belt. Fork attachment with reinforcement. Available in seat sizes from 38 to 44 cm with single cross frame and in seat sizes from 46 to 51 cm with double cross frame. Blue color.



Code	Seat width	Total width	Total length	Seat depth	Seat height	Armrest height	Weight	Capacity
REHA-PP38	38 cm	54 cm	104 cm	40 cm	50 cm	25 cm	16,5 Kg	130 Kg
REHA-PP40	40 cm	56 cm	104 cm	40 cm	50 cm	25 cm	16,8 Kg	130 Kg
REHA-PP42	42 cm	58 cm	104 cm	40 cm	50 cm	25 cm	17,0 Kg	130 Kg
REHA-PP44	44 cm	60 cm	104 cm	40 cm	50 cm	25 cm	17,3 Kg	130 Kg
REHA-PP46	46 cm	62 cm	104 cm	40 cm	50 cm	25 cm	17,5 Kg	150 Kg
REHA-PP49	49 cm	65 cm	104 cm	40 cm	50 cm	25 cm	17,8 Kg	150 Kg
REHA-PP52	52 cm	69 cm	104 cm	40 cm	50 cm	25 cm	18,1 Kg	150 Kg

Reha PP / PT standard wheelchairs, self-propelled and transit, can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories



REHA-P-R08
Raiseable footrest



Small table with
socket




P-36
Universal I.V. drip
holder pole for In-
termed wheelchairs

Code	
PE-20	Elevating platforms
P-25	Toilet seat for wheelchairs cm 42
P-26	Toilet seat for wheelchairs cm 44, 46, 49 and 52
P-27	Rigid seat for wheelchairs cm 42
P-28	Rigid seat for wheelchairs cm 44, 46, 49 and 52
P-29L	Adjustable fixed table for wheelchair
P-36	Crane rod for wheelchairs



Wheelchair with folding frame, foldable semi-desk armrests, removable and height-adjustable footrests. Available with 24" rear wheels with solid PU tire, 8" plastic front wheels with solid PU tire. Seat cloth in padded Nylon with rear pocket on the back (available in fireproof version on request) and safety belt. Fork attachment with reinforcement. Available in seat sizes from 38 to 44 cm with single cross frame and in seat sizes from 46 to 51 cm with double cross frame. Blue color.



Code	Seat width	Total width	Total length	Seat depth	Seat height	Armrest height	Weight	Capacity
REHA-PT38	38 cm	52 cm	96 cm	40 cm	50 cm	25 cm	14,5 Kg	130 Kg
REHA-PT40	40 cm	54 cm	96 cm	40 cm	50 cm	25 cm	14,8 Kg	130 Kg
REHA-PT42	42 cm	56 cm	96 cm	40 cm	50 cm	25 cm	15,0 Kg	130 Kg
REHA-PT44	44 cm	58 cm	96 cm	40 cm	50 cm	25 cm	15,3 Kg	130 Kg
REHA-PT46	46 cm	60 cm	96 cm	40 cm	50 cm	25 cm	15,5 Kg	150 Kg
REHA-PT49	49 cm	63 cm	96 cm	40 cm	50 cm	25 cm	15,8 Kg	150 Kg
REHA-PT52	52 cm	67 cm	96 cm	40 cm	50 cm	25 cm	16,1 Kg	150 Kg

Reha PP / PT standard wheelchairs, self-propelled and transit, can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories



REHA-P-R08
Raisable footrest



Small table with
socket



P-36
Universal I.V. drip
holder pole for Inter-
med wheelchairs

Code	
PE-20	Elevating platforms
P-25	Toilet seat for wheelchairs cm 42
P-26	Toilet seat for wheelchairs cm 44, 46, 49 and 52
P-27	Rigid seat for wheelchairs cm 42
P-28	Rigid seat for wheelchairs cm 44, 46, 49 and 52
P-29L	Adjustable fixed table for wheelchair
P-36	Crane rod for wheelchairs




Wheelchair with folding frame, folding semi-desk armrests with PU padding, height-adjustable footrests. 24" quick release rear wheels with full PU tire and predisposition on the frame for 12" quick release wheels. "8x2" plastic front wheels with solid PU tire. Steel lever parking brakes. Seat cloth in padded Nylon with rear pocket on the back (available in fireproof version on request) and safety belt. Fork attachment with reinforcement.

Available in seat sizes from 38 to 52 cm with double cross frame and carrying capacity with capacity, for sizes from 46 to 52 cm, increased up to 150 Kg

Grey colour.

Code	CND	Catalogue
REHA-CP38	Y122106	2045631/R
REHA-CP40	Y122106	2045635/R
REHA-CP42	Y122106	2045637/R
REHA-CP44	Y122106	2045639/R
REHA-CP46	Y122106	2045640/R
REHA-CP49	Y122106	2045641/R
REHA-CP52	Y122106	2045642/R



Code	Seat width	Total width	Total length	Seat depth	Seat height	Armrest height	Weight	Capacity
REHA-CP38	38 cm	54 cm	104 cm	40 cm	50 cm	25 cm	16,5 Kg	130 Kg
REHA-CP40	40 cm	56 cm	104 cm	40 cm	50 cm	25 cm	16,8 Kg	130 Kg
REHA-CP42	42 cm	58 cm	104 cm	40 cm	50 cm	25 cm	17,0 Kg	130 Kg
REHA-CP44	44 cm	60 cm	104 cm	40 cm	50 cm	25 cm	17,3 Kg	130 Kg
REHA-CP46	46 cm	62 cm	104 cm	40 cm	50 cm	25 cm	17,5 Kg	150 Kg
REHA-CP49	49 cm	65 cm	104 cm	40 cm	50 cm	25 cm	17,8 Kg	150 Kg
REHA-CP52	52 cm	69 cm	104 cm	40 cm	50 cm	25 cm	18,1 Kg	150 Kg

Reha CP / CT standard wheelchairs, self-propelled and transit, can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories



REHA-P-R08
Raisable footrest



Small table with
socket



P-36
Universal I.V. drip
holder pole for Inter-
med wheelchairs

Code	
PE-20	Elevating platforms
P-25	Toilet seat for wheelchairs cm 42
P-26	Toilet seat for wheelchairs cm 44, 46, 49 and 52
P-27	Rigid seat for wheelchairs cm 42
P-28	Rigid seat for wheelchairs cm 44, 46, 49 and 52
P-29L	Adjustable fixed table for wheelchair
P-36	Crane rod for wheelchairs






Wheelchair with folding frame, folding semi-desk armrests with PU padding, height-adjustable footrests. 24" quick release rear wheels with full PU tire and predisposition on the frame for 12" quick release wheels. "8x2" plastic front wheels with solid PU tire. Steel lever parking brakes. Seat cloth in padded Nylon with rear pocket on the back (available in fireproof version on request) and safety belt. Fork attachment with reinforcement.

Available in seat sizes from 38 to 52 cm with double cross frame and carrying capacity with capacity, for sizes from 46 to 52 cm, increased up to 150 Kg.

Grey colour.

Code	CND	Catalogue
REHA-CT38	Y122103	2045643/R
REHA-CT40	Y122103	2045645/R
REHA-CT42	Y122103	2045646/R
REHA-CT44	Y122103	2045648/R
REHA-CT46	Y122103	2045650/R
REHA-CT49	Y122103	2045651/R
REHA-CT52	Y122103	2045652/R



Code	Seat width	Total width	Total length	Seat depth	Seat height	Armrest height	Weight	Capacity
REHA-CT38	38 cm	52 cm	96 cm	40 cm	50 cm	25 cm	14,5 Kg	130 Kg
REHA-CT40	40 cm	54 cm	96 cm	40 cm	50 cm	25 cm	14,8 Kg	130 Kg
REHA-CT42	42 cm	56 cm	96 cm	40 cm	50 cm	25 cm	15,0 Kg	130 Kg
REHA-CT44	44 cm	58 cm	96 cm	40 cm	50 cm	25 cm	15,3 Kg	130 Kg
REHA-CT46	46 cm	60 cm	96 cm	40 cm	50 cm	25 cm	15,5 Kg	150 Kg
REHA-CT49	49 cm	63 cm	96 cm	40 cm	50 cm	25 cm	15,8 Kg	150 Kg
REHA-CT52	52 cm	67 cm	96 cm	40 cm	50 cm	25 cm	16,1 Kg	150 kg

Reha CP / CT standard wheelchairs, self-propelled and transit, can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories



REHA-P-R08
Raisable footrest



Small table with
socket



P-36
Universal I.V. drip
holder pole for Inter-
med wheelchairs

Code	
PE-20	Elevating platforms
P-25	Toilet seat for wheelchairs cm 42
P-26	Toilet seat for wheelchairs cm 44, 46, 49 and 52
P-27	Rigid seat for wheelchairs cm 42
P-28	Rigid seat for wheelchairs cm 44, 46, 49 and 52
P-29L	Adjustable fixed table for wheelchair
P-36	Crane rod for wheelchairs

E-LIGHT-P - Lightweight Aluminium wheelchair


e-light



Wheelchair with folding aluminum frame and double cross, available in 7 different sizes, 37, 40, 42, 44, 46, 49, 52 cm.

- 24" rear wheels with solid PU tires with quick release and possibility of variable positioning, equipped with aluminum rails and parking brakes. The front wheels have a size of 7.5 "mounted on an aluminum fork with the possibility of adjusting in three positions to vary the height of the seat. Wheels for narrow passages.
- Adjustable aluminum lever brakes.
- The backrest with rear pocket and the seat are padded and made of Nylon. (On demand available in self-extinguishing fabric).
- The armrests have desk (table) configuration with polyurethane padding and side coat protector, foldable and adjustable in height.
- The removable footrests are equipped with a heel strap, have the possibility of front-rear rotation and height adjustment for the support of the feet.
- Light blue.

Code	CND	Catalogue
E-LIGHT-37P	Y122106	1844553/R
E-LIGHT-40P	Y122106	1844560/R
E-LIGHT-42P	Y122106	1844561/R
E-LIGHT-44P	Y122106	1844563/R
E-LIGHT-46P	Y122106	1844564/R
E-LIGHT-49P	Y122106	1844566/R
E-LIGHT-52P	Y122106	1844568/R



Code	Seat width	Total width	Total length	Seat depth	Seat height	Armrest height	Weight (from)	Capacity
E-LIGHT-37P	37 cm	55 cm	117 cm	40 cm	52 cm	19 - 28 cm	≥ 15 kg	120 Kg
E-LIGHT-40P	40 cm	58 cm	117 cm	40 cm	52 cm	19 - 28 cm	≥ 15 kg	120 Kg
E-LIGHT-42P	42 cm	60 cm	117 cm	40 cm	52 cm	19 - 28 cm	≥ 15 kg	120 Kg
E-LIGHT-44P	44 cm	62 cm	117 cm	40 cm	52 cm	19 - 28 cm	≥ 15 kg	120 Kg
E-LIGHT-46P	46 cm	64 cm	117 cm	40 cm	52 cm	19 - 28 cm	≥ 15 kg	120 Kg
E-LIGHT-49P	49 cm	67 cm	117 cm	40 cm	52 cm	19 - 28 cm	≥ 15 kg	120 Kg
E-LIGHT-52P	52 cm	70 cm	117 cm	40 cm	52 cm	19 - 28 cm	≥ 15 kg	120 Kg

The E-Light P self-propelled wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories



EL-A01
Raiseable footrests



EL-A02
Anti-roll over system



P-36
Universal I.V. holder pole for Intermed wheelchairs

E-LIGHT-T - Lightweight Aluminium transit wheelchair


e-light



Wheelchair with folding aluminum frame and double cross, available in 7 different sizes, 37, 40, 42, 44, 46, 49, 52 cm.

- 24" rear wheels with solid PU tires with quick release and possibility of variable positioning, equipped with aluminum rails and parking brakes. The front wheels have a size of 7.5 "mounted on an aluminum fork with the possibility of adjusting in three positions to vary the height of the seat.
- Adjustable aluminum lever brakes.
- The backrest with rear pocket and the seat are padded and made of Nylon. (On demand available in self-extinguishing fabric).
- The armrests have desk (table) configuration with polyurethane padding and side coat protector, foldable and adjustable in height.
- The removable footrests are equipped with a heel strap, have the possibility of front-rear rotation and height adjustment for the support of the feet.
- Light blue.

Code	CND	Catalogue
E-LIGHT-37T	Y122103	1844571/R
E-LIGHT-40T	Y122103	1844576/R
E-LIGHT-42T	Y122103	1844578/R
E-LIGHT-44T	Y122103	1844579/R
E-LIGHT-46T	Y122103	1844581/R
E-LIGHT-49T	Y122103	1844582/R
E-LIGHT-52T	Y122103	1844583/R



Code	Seat width	Total width	Total length	Seat depth	Seat height	Armrest height	Weight (from)	Capacity
E-LIGHT-37T	37 cm	48 cm	110 cm	42 cm	52 cm	23-30 cm	≥ 15 kg	120 Kg
E-LIGHT-40T	40 cm	51 cm	110 cm	42 cm	52 cm	23-30 cm	≥ 15 kg	120 Kg
E-LIGHT-42T	42 cm	53 cm	110 cm	42 cm	52 cm	23-30 cm	≥ 15 kg	120 Kg
E-LIGHT-44T	44 cm	55 cm	110 cm	42 cm	52 cm	23-30 cm	≥ 15 kg	120 Kg
E-LIGHT-46T	46 cm	57 cm	110 cm	42 cm	52 cm	23-30 cm	≥ 15 kg	120 Kg
E-LIGHT-49T	49 cm	50 cm	110 cm	42 cm	52 cm	23-30 cm	≥ 15 kg	120 Kg
E-LIGHT-52T	52 cm	63 cm	110 cm	42 cm	52 cm	23-30 cm	≥ 15 kg	120 Kg

The E-Light T transit wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories



EL-A01
Raiseable footrests



EL-A02
Anti-roll over system





P-36
Universal I.V. holder pole for Intermed wheelchairs

e-light²

Wheelchair with folding aluminum frame and crossbeams, 24" rear wheels with quick-release PU tires and possibility of variable positioning, equipped with aluminum handrails, parking brakes, wheels for narrow passages (anti-roll over system available on request) and seat depth adjustment. The front wheels have a size of 7.5" mounted on an aluminum fork with the possibility of choosing the position or diameter of the wheels, to vary the height of the seat from the ground. The backrest with rear pocket and the seat are padded and made of Nylon (available in a fireproof version on request). The folding armrests with polyurethane padding and side panel for clothing protection and adjustable in height. The removable footrests are equipped with a heel strap, have the possibility of rear rotation and height adjustment of the footplate. The wheelchair is available in different seat sizes as an indicator in the technical characteristics table.

Matte blue color.

Code	CND	Catalogue
E-LIGHT 2-37P	Y122106	2045579/R
E-LIGHT 2-40P	Y122106	2045583/R
E-LIGHT 2-42P	Y122106	2045584/R
E-LIGHT 2-44P	Y122106	2045585/R
E-LIGHT 2-46P	Y122106	2045586/R
E-LIGHT 2-49P	Y122106	2045587/R
E-LIGHT 2-52P	Y122106	2045589/R



Code	Seat width	Total width	Total length	Adjustable seat depth	Seat height	Armrest height	Weight (from)	Capacity
E-LIGHT 2-37P	37 cm	52 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	120 kg
E-LIGHT 2-40P	40 cm	55 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	120 kg
E-LIGHT 2-42P	42 cm	57 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	120 kg
E-LIGHT 2-44P	44 cm	59 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	120 kg
E-LIGHT 2-46P	46 cm	61 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	140 kg
E-LIGHT 2-49P	49 cm	64 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	140 kg
E-LIGHT 2-52P	52 cm	67 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	140 kg

The E-Light 2P/T self-propelled and transit wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories






P-36
Universal I.V. holder
pole for Intermed
wheelchairs

e-light²

Wheelchair with folding aluminum frame and double crossbar, 12" rear wheels with quick-release PU tires, parking brakes (anti-roll over system available on request) and the possibility of adjusting the depth of the seat. The front wheels have a size of 7.5" mounted on an aluminum fork with the possibility of varying the position or diameter of the wheels, to vary the height of the seat from the ground. The backrest with rear pocket and the seat are padded and made of Nylon (available in a fireproof version on request). The folding armrests with polyurethane padding and side panel for clothing protection and adjustable in height. The removable footrests are equipped with a heel strap, have the possibility of rear rotation and height adjustment of the footplate. The wheelchair is available in different seat sizes as indicated in the technical characteristics table. Matte blue color.

Code	CND	Catalogue
E-LIGHT 2-37T	Y122103	2045595/R
E-LIGHT 2-40T	Y122103	2045602/R
E-LIGHT 2-42T	Y122103	2045604/R
E-LIGHT 2-44T	Y122103	2045605/R
E-LIGHT 2-46T	Y122103	2045606/R
E-LIGHT 2-49T	Y122103	2045607/R
E-LIGHT 2-52T	Y122103	2045608/R



Code	Seat width	Total width	Total length	Adjustable seat depth	Seat height	Armrest height	Weight (from)	Capacity
E-LIGHT 2-37T	37 cm	52 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	120 kg
E-LIGHT 2-40T	40 cm	55 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	120 kg
E-LIGHT 2-42T	42 cm	57 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	120 kg
E-LIGHT 2-44T	44 cm	59 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	120 kg
E-LIGHT 2-46T	46 cm	61 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	140 kg
E-LIGHT 2-49T	49 cm	64 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	140 kg
E-LIGHT 2-52T	52 cm	67 cm	107 - 111 cm	42 - 46 cm	50 cm	25 - 28 cm	≥ 15 kg	140 kg

The E-Light 2P/T self-propelled and transit wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories






P-36
Universal I.V. holder
pole for Intermed
wheelchairs

f-light



Wheelchair with folding aluminum frame and double crossbar, with the possibility of adjusting the seat depth by about 5 cm, seat and backrest upholstered in fireproof padded Nylon with rear pocket. Armrests, foldable and removable, equipped with side rails to protect clothes. 24" rear wheels with polyurethane tires or, on request, with inflatable tires, with quick release, equipped with aluminum handrails, adjustable brakes, with retractable levers to facilitate lateral transfers, wheels for narrow passages (optional anti-roll over system). The front wheels have a size of 8" with an aluminum fork adjustable in inclination, designed to adopt other wheel sizes. The removable footrests are equipped with a heel belt, have the possibility of antero-posterior rotation and adjust the height and the flexion-extension of the platform. The wheelchair is available in 7 seat sizes. Matte dark blue color.

Code	CND	Catalogue
F-LIGHT-37	Y122106	2045812/R
F-LIGHT-40	Y122106	2045815/R
F-LIGHT-42	Y122106	2045816/R
F-LIGHT-44	Y122106	2045817/R
F-LIGHT-46	Y122106	2045818/R
F-LIGHT-49	Y122106	2045819/R
F-LIGHT-52	Y122106	2045820/R



Code	Seat width	Total width	Total length	Adjustable seat depth	Seat height	Armrest height	Weight (according to setting)	Capacity
F-LIGHT-37	37 cm	52 cm	105 - 109 cm	42 - 46 cm	50 cm	21 cm	≥ 14 kg	120 kg
F-LIGHT-40	40 cm	55 cm	105 - 109 cm	42 - 46 cm	50 cm	21 cm	≥ 14 kg	120 kg
F-LIGHT-42	42 cm	57 cm	105 - 109 cm	42 - 46 cm	50 cm	21 cm	≥ 14 kg	120 kg
F-LIGHT-44	44 cm	59 cm	105 - 109 cm	42 - 46 cm	50 cm	21 cm	≥ 14 kg	120 kg
F-LIGHT-46	46 cm	61 cm	105 - 109 cm	42 - 46 cm	50 cm	21 cm	≥ 14 kg	140 kg
F-LIGHT-49	49 cm	64 cm	105 - 109 cm	42 - 46 cm	50 cm	21 cm	≥ 14 kg	140 kg
F-LIGHT-52	52 cm	67 cm	105 - 109 cm	42 - 46 cm	50 cm	21 cm	≥ 14 kg	140 kg

The F-Light wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories



EL-A01
Raiseable footrests



EL-A02
Anti-roll over system






P-36
Universal I.V. holder pole for Intermed wheelchairs

FLEXA2 -Premium Lightweight Aluminium wheelchair



Wheelchair with folding aluminum frame and double cross, with the possibility of adjusting the seat depth by about 5 cm, backrest with tensionable straps and padded Nylon cover with rear pocket. Armrests adjustable in height and depth, foldable and removable, equipped with side panels to protect clothes. 24" rear wheels with full PU tire or, on request, with inflatable, quick release tires; equipped with aluminum handrails, adjustable parking brakes, with retractable folding levers to facilitate lateral transfers, wheels for narrow passages and anti-roll over system. The wheels are 8" in size with a tilt adjustable aluminum fork, designed to fit other wheel sizes. The removable footrests are equipped with a heel strap, have the possibility of front-to-back rotation and to adjust the height and flexion-extension of the support of the feet. Matte grey color.

Code	CND	Catalogue
FLEXA2-37	Y122106	2045803/R
FLEXA2-40	Y122106	2045805/R
FLEXA2-42	Y122106	2045806/R
FLEXA2-44	Y122106	2045807/R
FLEXA2-46	Y122106	2045808/R
FLEXA2-49	Y122106	2045809/R
FLEXA2-52	Y122106	2045810/R



Code	Seat width	Total width	Total length	Adjustable seat depth	Seat height	Armrest height	Weight (according to setting)	Capacity
FLEXA2-37	37 cm	52 cm	105 - 109 cm	42 - 46 cm	50 cm	23 - 30 cm	≥ 15 kg	120 kg
FLEXA2-40	40 cm	55 cm	105 - 109 cm	42 - 46 cm	50 cm	23 - 30 cm	≥ 15 kg	120 kg
FLEXA2-42	42 cm	57 cm	105 - 109 cm	42 - 46 cm	50 cm	23 - 30 cm	≥ 15 kg	120 kg
FLEXA2-44	44 cm	59 cm	105 - 109 cm	42 - 46 cm	50 cm	23 - 30 cm	≥ 15 kg	120 kg
FLEXA2-46	46 cm	61 cm	105 - 109 cm	42 - 46 cm	50 cm	23 - 30 cm	≥ 15 kg	140 kg
FLEXA2-49	49 cm	64 cm	105 - 109 cm	42 - 46 cm	50 cm	23 - 30 cm	≥ 15 kg	140 kg
FLEXA2-52	52 cm	67 cm	105 - 109 cm	42 - 46 cm	50 cm	23 - 30 cm	≥ 15 kg	140 kg

The Flexa2 wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories



FX-11L
Raisable footrests
for sizes from 37 to
44 cm



FX-11S
Raisable footrests
for sizes from 46 to
52 cm



FL-R16
Anti-roll over
system



P-36
Universal I.V. holder
pole for Intermed
wheelchairs


BRAKE - Lightweight Aluminium wheelchair with drum brakes




Self-propelled wheelchair with folding aluminum double cross frame, available in 6 versions measuring 38, 40, 43, 45, 48, 51 cm, equipped with drum brakes with companion levers.

- 24" rear wheels with full PU tires, quick release with aluminum rails.
- The front wheels are 8", mounted on adjustable aluminum forks, designed to adopt wheels of other sizes. Fixing plate for rear wheels with the possibility of height and depth adjustment.
- Lever brakes on the handles to operate the drum brakes, for the attendant, and side parking with retractable folding lever, to facilitate lateral transfers.
- Seat in black padded nylon.
- Backrest with tensioning straps, and padded nylon cover with rear pocket.
- Folding and removable desk armrests adjustable in height, with polyurethane armrest lengthwise adjustable and plastic side panel.
- Removable footrests equipped with a heel strap, possibility of antero-posterior rotation and of adjusting the height and flexion-extension.
- Metallic blue color.

Code	CND	Catalogue
BRAKE 38	Y122106	1709780/R
BRAKE 40	Y122106	1709794/R
BRAKE 43	Y122106	1709798/R
BRAKE 45	Y122106	1709800/R
BRAKE 48	Y122106	1709803/R
BRAKE 51	Y122106	1709805/R



Code	Seat width	Total lenght	Total lenght	Seat depth	Seat height	Armrest height	Weight (from)	Capacity
BRAKE 38	38 cm	48 cm	105 cm	42 cm	50 cm	23-30 cm	≥ 16 kg	110 Kg
BRAKE 40	40 cm	60 cm	105 cm	42 cm	50 cm	23-30 cm	≥ 16 kg	110 Kg
BRAKE 43	43 cm	63 cm	105 cm	42 cm	50 cm	23-30 cm	≥ 16 kg	110 Kg
BRAKE 45	45 cm	65 cm	105 cm	42 cm	50 cm	23-30 cm	≥ 16 kg	110 Kg
BRAKE 48	48 cm	68 cm	105 cm	42 cm	50 cm	23-30 cm	≥ 16 kg	110 Kg
BRAKE 51	51 cm	71 cm	105 cm	42 cm	50 cm	23-30 cm	≥ 16 kg	110 Kg

The Brake wheelchairs in aluminum can be equipped with specific dedicated accessories that allow them to be adapted to the most suitable setting for the user.

Accessories



BK-11S

Raiseable footrests for sizes 38, 40, 43 cm



BK-11L

Raiseable footrests for sizes 45, 48, 51 cm



P-36

Universal I.V. holder pole for Intermed wheelchairs



BK-14

Anti-roll over system




REHA-RECLINING - wheelchair with reclining backrest



RehaReclining is a foldable aluminum wheelchair with an adjustable reclining backrest using a rack mechanism and a stabilizing bar.

The armrests are foldable, the footrests are elevatable and adjustable in length, with adjustable leg rests for depth.

It has lever-operated parking brakes for the quick-release 24" solid PU rear wheels and 6" solid PU front wheels.






Code	Seat width	Total length	Total width	Seat depth	Seat height	Armrest height	Weight (from)	Capacity
REHA-REC-39	39 cm	105 cm	60,5 cm	42 cm	44 cm	22 cm	16,9 kg	125 Kg
REHA-REC-42	42 cm	105 cm	63,5 cm	42 cm	44 cm	22 cm	17 kg	125 Kg
REHA-REC-45	45 cm	105 cm	66,5 cm	42 cm	44 cm	22 cm	17,1 kg	125 Kg
REHA-REC-48	48 cm	105 cm	69,5 cm	42 cm	44 cm	22 cm	17,2 kg	125 Kg
REHA-REC-51	51 cm	105 cm	72,5 cm	42 cm	44 cm	22 cm	17,3 kg	125 Kg



Compact self-propelled wheelchair with folding frame, to facilitate use in narrow spaces. The structure is equipped with a single cross, removable armrests that facilitate the patient's movement and rear handles for the assistant. 20" diameter rear wheels for self-propulsion. 7" diameter swivel front wheels. The footrests are rotatable, removable and adjustable in height. The wheelchair is available in different sizes of 40, 43 and 45 cm. Grey color.

Code	CND	Catalogue
NARROW-40	Y122106	2014256/R
NARROW-43	Y122106	2014260/R
NARROW-45	Y122106	2014262/R







Code	Seat width	Total width	Total length	Seat depth	Seat height	Weight (from)	Capacity
NARROW-40	40 cm	51 cm	102 cm	42 cm	56 cm	16 kg	120 kg
NARROW-43	43 cm	54 cm	102 cm	42 cm	56 cm	16 kg	120 kg
NARROW-45	45 cm	56 cm	102 cm	42 cm	56 cm	16 kg	120 kg



Folding aluminum transport chair, with wheels and brakes for attendant on the push handles. Equipped with padded folding armrests and carrying bag.

- Foldable frame.
- Foldable backrest.
- Folding armrests with EVA padding.
- Brake levers for attendant on the push and parking handles.
- 8" rear wheels with brake.
- 5" swivel front wheels
- Checked patterned color canvas.
- Transport bag



Code	Seat width	Total width	Total lenght	Seat depth	Seat height	Volume when closed	Weight	Capacity
VALLETTA-N	36 cm	45 cm	94,5 cm	37 cm	47,5 cm	56 x 28 x 59 cm	8,5 kg	100 kg




Electric wheelchair with folding aluminum frame and double cross, folding backrest with tensioning straps and padded nylon cover, with rear pocket. Folding and removable desk armrests equipped with clothes protection sides, removable and height-adjustable footrests. 12" rear wheels with solid polyurethane tire on aluminum rim (alternatively on request, with inflatable tires), the front wheels have size 8" mounted on an aluminum fork. Equipped with 1 20Ah lithium battery mounted laterally, to facilitate the transport of the folded wheelchair without having to remove it, which allows an autonomy of 15/18 km and the possibility of mounting an additional battery, as an option, to increase the autonomy up to 30 km.

Available in three seat variants 43, 45, 48 cm.

(NB: the autonomy data refer to use on flat ground without obstacles and at an average speed).



Code	Seat width	Total width	Total length	Seat depth	Front wheels	Rear wheels	Weight (including battery)	Capacity
PW-110-43	43 cm	61 cm	108 cm	44 cm	8"	12,5"	30 kg	120 kg
PW-110-45	45 cm	63 cm	108 cm	44 cm	8"	12,5"	30 kg	120 kg
PW-110-48	48 cm	66 cm	108 cm	44 cm	8"	12,5"	30 kg	120 kg

Technical Specifications

Armrests	Folding semi-desks adjustable in height
Pillow	Removable
Footrest	Removable, adjustable in height and with heel strap
Battery weight	3,5 kg
Max. slope	10°
Max. speed	8 km/h
Autonomy (on fat ground and at average speed)	15/18 km (*30 km with two lithium batteries)
Engine	2 x 200 W Linix China
Command	24 V Maikong, China
Lithium battery	n. 1 x 24 V, 20 Ah Lithium (* on request, an additional lithium battery 20Ah, to increase autonomy)
Charger	HP 24V - 3A



Outdoor electric wheelchair with rear shock absorbers and collapsible frame to facilitate transport.

- Equipped with front and rear lights with directional arrows.
- Foldable backrest, with tensioning straps and padded cover, adjustable in inclination.
- Seat adjustable in depth.
- Height-adjustable, removable armrests equipped with clothes rails.
- Removable footrests, adjustable in height and depth, with flexion-extension adjustment of the footrest.
- PG Control guide, mounted on an articulated joint, to find the best position for use.
- 14" pneumatic rear wheels on aluminum rim.
- 10" pneumatic front wheels on aluminum rim.
- Electromagnetic brakes for safe use.
- Equipped with 2 lead batteries of 40 Ah each, allowing an autonomy of 30 Km.

(NB: the autonomy data refer to use on flat ground without obstacles and at an average speed).



Code	Seat width	Total width	Total length	Seat depth	Seat height	Armrest height	Weight (from)	Capacity
PW-200	43 cm	62 cm	110 cm	46 cm	50 cm	da 28 a 35 cm	≥ 86 kg	120 Kg

Technical Specification

Max. speed	10 km/h
Autonomy	30 Km
Max. slope	Max 10°
Front wheels [diameter] x [width]	10" x 3"
Rear wheels [diameter] x [width]	14" x 3"
Armrests	Adjustable in height, removable, with clothes rails
Footrests	Adjustable in height and flexion-extension, removable and with heel strap
Engine power	320 W
Command	24 V / 50 A (marca PG, UK)
Batteries	2 x 12 V, 40 Ah lead
Charger	DC 24 V 5 A ; AC 115 V / 230 V

Accessories



P-36
Universal I.V. holder
pole for Intermed
wheelchairs

FOLD-UP - Manually operated foldable electric wheelchair

fold-up



FOLD-UP is an innovative electric wheelchair with a foldable aluminum frame, of the “pantograph” type, to minimize its size during transport. It is particularly suitable for indoor use, but thanks to its 30 km range and rear wheel fenders, it can also be used outdoors.

The folding and unfolding process is done manually, and when folded, it significantly reduces its dimensions. It is equipped with a 24V/20Ah Lithium battery, allowing for a range of up to 30 km (on flat terrain, free of obstacles, and at an average speed), making it suitable for outdoor use as well, with the ability to tackle slopes of up to 10°.

The 250W motors are equipped with an electromagnetic brake.

PW-400P
Folding manual


PW-400PE
Folding with remote control



Code	Seat width	Total width	Total length	Seat depth	Seat height	Weight (from)	Capacity
PW-200	46 cm	60 cm	104 cm	46 cm	50 cm	≥ 29 kg	120 Kg




Technical Specification

Autonomy	30 Km
Max. slope	Max 10°
Front wheels [diameter] x [width]	8"
Rear wheels [diameter] x [width]	10"
Engine power	320 W
Batteries	2 x 24 V, 40 Ah
Charger	DC 24V - 3A, AC 115/230V



Steel frame for a robust and lightweight scale, available in 3 seat sizes with adjustable width up to +5 cm for each seat. Thanks to its frame design, IDSoft Evolution remains stable regardless of the inclinations of the backrest and seat, adjusted by gas pistons. It is equipped with all the user comfort elements: stretchable and breathable Dartex fabric covers for the seat and backrest, elevatable legrests with padded calf supports, multi-adjustable headrest, and padded and adjustable armrests. In the basic configuration, it includes:

- Removable armrests adjustable in depth and height by 7 cm.
- Elevatable footrests with height, flexion-extension, and depth adjustments for foot supports, as well as depth and height adjustments for calf supports, equipped with knee cushions.
- Seat with variable width up to +5 cm by adjusting the distance between the armrests, variable depth from 42 to 51 cm, and inclination from -2° to +25°.
- Reclining backrest from 90° to 120°, height adjustable with the possibility of applying other customized backrest types for the user.
- Multi-adjustable headrest with lateral support.
- Quick-release 24" rear wheels with variable positioning, 8" front wheels with solid PU tires.
- Frame prepared for the attachment of rear wheels of different diameters.
- Anti-tip wheels.



Code	Seat width	Total width	Total length	Seat depth	Seat height	Armrest height	Weight	Capacity
IDSOFTEVO 39	39-44 cm	59 cm	108 cm	42-51 cm	40-45 cm	18-25 cm	34,5 kg	140 kg
IDSOFTEVO 44	44-49 cm	64 cm	108 cm	42-51 cm	40-45 cm	18-25 cm	34,5 kg	140 kg
IDSOFTEVO 49	49-54 cm	69 cm	108 cm	42-51 cm	40-45 cm	18-25 cm	34,5 kg	140 kg


Accessories




M20584401/2
Lateral thrusts



M23402100
Small table






M20525100
Retractor wedge



Steel frame for a sturdy and lightweight scale, available in 3 seat sizes with adjustable width of up to +5 cm for each seat.

Thanks to its frame design, the IDSoft Evolution T remains stable regardless of the recline of the backrest and seat, adjusted by gas pistons. It is equipped with all the user comfort elements: multi-stretch and breathable Dartex fabric covers for the seat and backrest, elevating leg rests with padded calf supports, multi-adjustable headrest, and padded and adjustable armrests. It comes with the following features in the basic configuration:

- Removable armrests adjustable in depth and height by 7 cm.
- Elevating footrests with height, flexion extension, and depth adjustments for the footrests and knee supports, equipped with knee pads.
- Seat with variable width of up to +5 cm by adjusting the distance between the armrests, variable depth from 42 to 51 cm, and inclination from -2° to +25°.
- Reclining backrest from 90° to 120°, height-adjustable with the possibility to attach other customized backrests for the user.
- Multi-adjustable headrest with lateral supports.
- 12" quick-release rear wheels with variable positioning, 8" front wheels with solid PU tires.
- Frame prepared for mounting rear wheels of different diameters.
- Anti-tip casters.



Codice	Seat width	Total width	Total lenght	Seat depth	Seat height	Armrest height	Weight	Capacity
IDSOFTEVO 39T	39-44 cm	59 cm	108 cm	42-51 cm	40-45 cm	18-25 cm	34,5 kg	140 kg
IDSOFTEVO 44T	44-49 cm	64 cm	108 cm	44-49 cm	40-45 cm	18-25 cm	34,5 kg	140 kg
IDSOFTEVO 49T	49-54 cm	69 cm	108 cm	49-54 cm	40-45 cm	18-25 cm	34,5 kg	140 kg


Accessories



M20584401/2
Lateral thrusts



M23402100
Small table



M20525100
Retractor wedge

Telescopic ramps



Telescopic aluminum ramps, with side handles that facilitate transport and movement. The package includes a comfortable nylon bag, resealable with a zip. Width when open: 11 cm. Maximum load: 270 kg. Available in two variants of maximum length

Available in the variants

Code	Lenght	Weight	CND	Catalogue
RAM-150	150 cm	6,5 kg	Y183015	1786787/R
RAM-210	210 cm	8,4 kg	Y183015	1786859/R

Folding ramps



Folding aluminum ramps, with side handles that facilitate transport and lo shift. Open width: 73 cm. Maximum load: 300 kg.

The package includes a comfortable nylon bag, resealable with a zip. Available in four variants of maximum length.

Available in the variants



Code	Lenght	Weight	CND	Catalogue
RAM-60	60 cm	6,5 kg	Y183015	1857949/R
RAM-90	90 cm	8,2 kg	Y183015	1857979/R
RAM-120	120 cm	12 kg	Y183015	1857981/R
RAM-180	180 cm	15,5 kg	Y183015	1857982/R



19/15 | Abdominal support belt
with suspenders and central zip opening



Abdominal support belt | 20/15
basic



21/15 | Pelvic containment belt
pelvic



Leg containment belt | 22/08
legs holder





23/08 | Abdominal containment
belt
with suspenders for women



Pelvic support belt 45° | 32/10



27/08 | Wrist support belt



Basic abdominal support | 20/04/1
waterproof and fire-resistant



Transfer belt | 24/19/TR

Belt for the transfer of disabled patients, equipped with handles for grip in any position and buckle closure with safety button. Indicated to facilitate transfers or during walking exercises of disabled patients.

Available in three sizes pf waist circumference

Code	Waist circumference
24/19/TR-M	50 a 55 cm
24/19/TR-L	55 a 60 cm
24/19/TR-XL	60 a 65 cm

ELECTRIC SCOOTERS










4-wheel electric scooter with 4 shock absorbers, small in size and easy to maneuver, it is suitable for use both indoors and outdoors.

The seat, 360° rotating and adjustable on longitudinal guides, combined with the handlebar angle adjustment, allow to easily adapt it to different needs and obtain better driving comfort.

The backrest can be folded forward, and the armrests are foldable and adjustable in width. The equipment includes a front LED headlight and a front basket fixed on the handlebar column. The completely removable frame, without the use of tools, makes it easily transportable.

The two 12 Ah batteries allow for an autonomy of 16 km* and a top speed of 8 km/h. If necessary, the rear lever allows to disengage the wheel drive to easily push it.

* The autonomy data refer to use on flat ground without obstacles and at average speed.

							
Code	Seat width	Total width	Total lenght	Backrest height	Engine power	Weight (including batteries)	Capacity
SC-100	43 cm	52 cm	114 cm	37 cm	220 W	58 kg	135 kg

identity



Metallic red



Metallic blue



Metallic grey



Bronze



Grey



Light blue



Black



White



Orange



4-wheel electric scooter with 4 shock absorbers. The medium-sized frame makes it suitable for use outdoors and, if necessary, also indoors.

A comfortable seat with headrest, 360° rotating and adjustable on longitudinal guides, combined with the inclination adjustment of the handlebar, allows to easily adapt it to the needs of the user and obtain better driving comfort. The backrest can be reclined, and the armrests can be folded down. The battery charge indicator, buttons and levers to activate the various functions of the scooter are located on the handlebar console. The equipment includes: front and rear directional arrows, a USB socket (useful for charging the mobile phone), a socket to recharge the batteries and a charger, two rear-view mirrors, a front LED headlight and a front basket fixed on the handlebar column.

Two 38 Ah batteries allow for an autonomy of 45 km* and top speed of 8 km/h.

* The autonomy data refer to use on flat ground without obstacles and at average speed.



Code	Seat width	Total width	Total length	Backrest height	Engine power	Weight (including batteries)	Capacity
SC-150	48 cm	63 cm	130 cm	53 cm	500 W	120 kg	136 kg



SC-400B
Bronze



SC-400T
Titanium



12" diameter 4-wheel electric scooter with 2 front shock absorbers and rear single shock absorbers.

The large frame, but easy to maneuver, makes it suitable for use in outdoor environments and for long distances. A comfortable seat with headrest, 360° rotating and adjustable on longitudinal guides, combined with the inclination adjustment of the handlebar, allows to easily adapt it to the needs of the user armrests can be folded down.

The battery charge indicator, buttons and levers to activate the various functions of the scooter are located on the handlebar console. The equipment includes: front and rear directional arrows, a socket to recharge the batteries and a charger, a double cup holder, two rear-view mirrors, a front LED headlight and side reflectors.

Two 80 Ah batteries allow for an autonomy of 55 km* and top speed of 15 km/h.


* The autonomy data refer to use on flat ground without obstacles and at average speed




Code	Seat width	Total width	Total lenght	Backrest height	Engine power	Weight (including batteries)	Capacity
SC-400B	46 cm	66 cm	137 cm	54 cm	750W	137 kg	145 kg
SC-400T	46 cm	66 cm	137 cm	54 cm	750W	137 kg	145 kg



Tachimetro e contachilometri.



Indicatori di livello della batteria.



4-wheel electric scooter with 2 front shock absorbers and a rear single shock absorber. Medium in size and easy to maneuver, it is suitable for use outdoors and, if necessary, also indoors. On the handlebar console there is a liquid crystal display where you can view the various active parameters of the scooter (eg. speed, battery charger, etc.) and the buttons that allow to control the various functions.

The seat equipped with an adjustable backrest with headrest, 360° rotating and adjustable on longitudinal guides, allows to easily adapt it to different needs for better driving comfort and the large front shell offers excellent protection for the legs.

The armrests are foldable and adjustable in width.

The equipment includes a front LED headlight, two rear-view mirrors, the battery charger and a front basket.

Two 35 Ah batteries allow an autonomy of 30 km* and top speed of 12 km / h.

* The autonomy data refer to use on flat ground without obstacles and at average speed.



Code	Seat width	Total width	Total lenght	Backrest height	Engine power	Weight (including batteries)	Capacity
SC-500	52 cm	65 cm	128 cm	69 cm	650W	100 kg	130 kg

saturn



Red



Blue



Electric scooter with 4 pneumatic wheels measuring 13” in diameter, equipped with 2 front shock absorbers and a rear mono shock absorber. The large yet maneuverable frame makes it suitable for outdoor use and long distances.

A comfortable seat with a headrest, 360° swivel capability, and adjustable on longitudinal guides, combined with the handlebar tilt adjustment, allows for easy adaptation to the user’s needs and provides enhanced riding comfort.



Code	Seat width	Total width	Total lenght	Backrest height	Engine power	Weight (including batteries)	Capacity
SC-600	52 cm	73 cm	148 cm	69 cm	800W	127 kg	205 kg

ares



Grey



Green



The ARES electric scooter features 4 pneumatic wheels with a 12" diameter, equipped with front and rear shock absorbers. Its large yet maneuverable frame makes it suitable for outdoor use and long distances.

A comfortable seat with a 360° swivel and adjustable on longitudinal guides, along with the handlebar tilt adjustment, allows for easy customization according to the user's needs and provides a better riding comfort.

The backrest is reclining, and the armrests are foldable and adjustable. On the handlebar console, there is a liquid crystal display to view various active parameters of the scooter (e.g., speed, battery charge, etc.) and buttons to control its different functionalities.

The equipment includes front and rear turn signals, a charging socket, a battery charger, a mechanical parking brake, two rear-view mirrors, a bottle holder, a front storage box, front headlights, and rear lights. The two 55 Ah batteries each offer a power of 800W (with a peak power of 1200W) and allow a range of 45 km* with a maximum adjustable speed of 15 km/h.

* The autonomy data refer to use on flat ground without obstacles and at average speed.



Code	Seat width	Total width	Total length	Backrest height	Engine power	Weight (including batteries)	Capacity
SC-700	46 cm	60,5 cm	142 cm	67 cm	800W	119 kg	150 kg



Red



Blue



Grey



Yellow



SC-10M

Foldable manually.

SC-X10E

Foldable with Remote control.

SMARTY M is a small, foldable electric scooter with 4 wheels. Its easy maneuverability and frame characteristics make it suitable for use in indoor spaces with limited room and flat outdoor paths. The handlebar's tilt and height adjustments allow for easy customization according to individual needs, providing a better riding comfort. The backrest is foldable forward, and the armrests are foldable and height-adjustable.

The handlebar console features an LED screen, buttons, and levers to activate and view various scooter functionalities, including the battery charge indicator. The fully foldable and tool-free disassembling frame makes it easily transportable. Upon request, it can be equipped with a practical side bag and a cane holder.

The SMARTY M scooter can be personalized with four different color options: Red, Blue, Yellow, and Grey. It is powered by two 7.5 Ah/24V Lithium batteries, providing a range of 23 km.

* The autonomy data refer to use on flat ground without obstacles and at average speed.



Code	Seat width	Total width	Total length	Backrest height	Engine power	Weight (including batteries)	Capacity
SC-X10	39 cm	48 cm	105 cm	58 cm	180W	27,5 kg	130 kg

ACCESSORIES

	Model-specific ACCESSORIES
SCS-01	COLOR scooter body kit - metallic red color
SCS-02	COLOR scooter body kit - metallic blue color
SCS-03	COLOR scooter body kit - metallic gray color
SCS-04	COLOR scooter body kit - matte bronze color
SCS-05	COLOR scooter body kit - matte gray color
SCS-06	COLOR scooter body kit - matte light blue color
SCS-07	COLOR scooter body kit - matte black color
SCS-09	COLOR scooter body kit - orange color
SCS-10	COLOR scooter body kit - white color
SCS-20	IDENTITY scooter body kit - metallic red color
SCS-21	IDENTITY scooter body kit - metallic blue color
SCS-22	IDENTITY scooter body kit - metallic gray color
SCS-23	IDENTITY scooter body kit - matte bronze color
SCS-24	IDENTITY scooter body kit - matte gray color
SCS-25	IDENTITY scooter body kit - matte light blue color
SCS-26	IDENTITY scooter body kit - matte black color
SCS-27	IDENTITY scooter body kit - orange color
SCS-28	IDENTITY scooter body kit - white color
SC-A101	Bottle holder for COLOR and IDENTITY scooters
SC-A102	Cane holder for COLOR and IDENTITY scooters
SC-A401	Cane holder for ATOM scooters
SC-A402	Soft canopy for ATOM scooters
SC-A403	Rear trunk for ATOM scooters
SC-A404	Front basket for ATOM scooters
SC-A405	Metallic rear basket for ATOM scooters
SC-A501	Large rear trunk for DUCKY and SATURN scooters
SC-A502	Small rear trunk for DUCKY and SATURN scooters
SC-A707	Windshield for ARES scooter

	ACCESSORIES for all models
SC-A701	Oxygen cylinder holder
SC-A702	Hood
SC-A703	Crutch holder
SC-A704	Small rear trunk
SC-A706	Walker holder
SC-A708	Rear basket
SC-A709	Rollator rear holder
SC-A710	Nylon rear bag
SC-A711	Rear cane holder
SC-A712	Scooter cover protection sheet
SC-R702	Rear adapter
SC-A707	Windshield for ARES scooter

ARMCHAIRS



Cacao



Geriatric armchair with manually reclining frame and a base with transit wheels, ideal for both indoor and outdoor use. It comes with a headrest cushion, a containment belt, an anatomical leg rest cushion, and a memory foam anti-decubitus cushion for the seat in the basic configuration.

The manually elevatable leg rest with 6 positions aligns with the seat when the armchair is in a semi-reclined position. It features a pedal brake system accessible from three sides of the armchair (sides and back). Cocoa color (other colors available upon request). The coverings are removable and washable at 30°C.

Code	Seat width	Total width	Seat depth	Seat height	Armrest height	Weight	Capacity
ELYSEEN38	38 cm	61 cm	48 cm	45 cm	20 cm	40 kg	130 kg
ELYSEEN44	44 cm	67 cm	48 cm	45 cm	20 cm	40 kg	130 kg
ELYSEEN50	50 cm	73 cm	48 cm	45 cm	20 cm	40 kg	130 kg
ELYSEEN56	56 cm	79 cm	48 cm	45 cm	20 cm	40 kg	130 kg



Cacao



Geriatric armchair with electric tilting frame controlled by a remote and a base with transit wheels, ideal for both indoor and outdoor use. It comes with an anatomical headrest cushion, a containment belt, an anatomical leg rest cushion, and a memory foam anti-decubitus cushion for the seat in the basic configuration.


The manually elevatable leg rest with 6 positions aligns with the seat when the armchair is in a semi-reclined position. It features a pedal brake system accessible from three sides of the armchair (sides and back). Cocoa color (other colors available upon request). The coverings are removable and washable at 30°C.

Code	Seat width	Total width	Seat depth	Seat height	Armrest height	Weight	Capacity
ELYSEEN38E	38 cm	61 cm	48 cm	45 cm	20 cm	40 kg	130 kg
ELYSEEN44E	44 cm	67 cm	48 cm	45 cm	20 cm	40 kg	130 kg
ELYSEEN50E	50 cm	73 cm	48 cm	45 cm	20 cm	40 kg	130 kg
ELYSEEN56E	56 cm	79 cm	48 cm	45 cm	20 cm	40 kg	130 kg

PATIENT LIFTERS and BEDS



Provided with sling
with head support
size. M cod. 150-I



Electric patient lift, steel frame with opening and positioning base legs; 100 mm swivel casters with the rear ones provided with brakes. Thanks to the lifting arm structure and its sling, it allows to lift the patient from the floor. Basic model is provided with:

- High shape sling with head support.
- Four swivel casters with brakes on the rear ones.
- Base with pedal opening legs.
- Electric piston operator
- Rechargeable battery operator.
- Power supply.



Code	Legs opening	Legs section length	Legs height	Lifting arm height	Capacity	Weight
SA-160	from 48 to 94 cm	117 cm	15 cm	from 77 to 163 cm	150 kg	38 kg



*Provided with sling with head support
Size M cod.150-I*



Manual patient lift, steel frame with opening and positioning base legs; 100 mm swivel casters with the rear ones provided with brakes. Thanks to the lifting arm structure and its sling, it allows to lift the patient from the floor. Basic model is provided with:

- High shape sling with head support.
- Four swivel casters with brakes on the rear ones.
- Base with pedal opening legs.
- Electric piston operator
- Rechargeable battery operator.
- Power supply.



Code	Legs opening	Legs section length	Legs height	Lifting arm height	Capacity	Weight
SA-160M	from 48 to 94 cm	117 cm	15 cm	from 75 to 164 cm	150 kg	36 kg



Electric lift with steel structure, also suitable for obese patients, manual leg opening with lever or, on request, with pedal. Barbell with four hooks, with the possibility of taking the patient from the ground. Four swiveling wheels, 2 of which at the rear with brake, equipped with a hard rubber cover to facilitate movement. Emergency manual descent mechanism. Large handles and good ergonomics to ensure maximum maneuverability.

In basic configuration equipped with:

- Four swivel wheels of 100 mm, of which the rear ones with brake.
- Base with lever-operated legs (on request with pedal).
- Barbell with 4 anti-slip hooks.
- Wire pushbutton panel control with battery charge signaling LED.
- Control unit equipped with emergency button and auxiliary engine control buttons.
- Electric piston actuator.
- Battery charger incorporated in the control unit, through an electric cable.



Code	Spreading	Base lenght	Base height	Barbell height	Max capacity	Weight
SA-200	da 59 a 110 cm	150 cm	14,5 cm	da 58 a 167 cm	205 kg	39 kg



Electric lift with steel structure, also suitable for obese patients, leg opening through electric actuator. Barbell with four hooks, with the possibility of taking the patient from the ground. Four swiveling wheels, 2 of which at the rear with brake, equipped with a hard rubber cover to facilitate movement. Emergency manual descent mechanism. Large handles and good ergonomics to ensure maximum maneuverability.

In basic configuration equipped with:

- Four swivel wheels of 100 mm, of which the rear ones with brake.
- Base with electric actuator-operated legs.
- Barbell with 4 anti-slip hooks.
- Wire pushbutton panel control with battery charge signaling LED.
- Control unit equipped with emergency button and auxiliary engine control buttons.
- 2 electric piston actuators.
- Battery charger incorporated in the control unit, through an electric cable.



Code	Spreading	Base lenght	Base height	Barbell height	Max capacity	Weight
SA-202	da 59 a 110 cm	150 cm	14,5 cm	da 58 a 167 cm	205 kg	41 kg



SA-300M

sling size M

SA-300L

sling size L

Front electric lift that allows to reach vertical or semi-sitting position in a safe and comfortable way. The structure in painted steel tubes, combined with the possibility of spreading the legs of the base through a pedal (with lever on request), guarantee maximum stability and safety during use. Thanks to the lumbar slings and anatomical cushions for the tibial supports, in soft material, this type of “semi-active” transfer is particularly suitable for patients who have difficulty in maintaining an upright position, thus ensuring the necessary comfort during transfers and facilitating the medical / nursing staff in the various assistance operations such as:

- Stimulation of residual autonomy.
- Easier and more comfortable patient transfer.
- Ease of intervention for patient hygiene operations.
- Simple and practical handling of the aid.
- Foldable without the use of tools.

Available in the variants

Code	Sling	CND	Catalogue
SA-300M	misura M	Z12069001	1843481/R
SA-300L	misura L	Z12069001	1843483/R



Code	Spreading	Base lenght	Base height	Barbell height	Max capacity	Weight
SA-300	da 57 a 85 cm	88 cm	9 cm	da 46 a 126 cm	175 kg	32 kg



200 Universal standard sling




For electric patient-lifter SA-200 - SA-202
size small, medium, large and extra large

Code	CND	Catalogue
200-S	Y123621	1802419/R
200-M	Y123621	1802461/R
200-L	Y123621	1802465/R
200-XL	Y123621	1802469/R

Universal sling with headrest 200-T

For electric patient-lifter SA-200 - SA-202
size small, medium, large and extra large

Code	CND	Catalogue
200-TS	Y123621	1799717/R
200-TM	Y123621	1799732/R
200-TL	Y123621	1799733/R
200-TXL	Y123621	1799736/R



200-W Bathing sling



For electric patient-lifter SA-200 - SA-202
size small, medium and large

Code	CND	Catalogue
200-WS	Y123621	1802505/R
200-WM	Y123621	1802619/R
200-WL	Y123621	1802623/R

Universal sling with headrest | 200-T

For electric patient-lifter SA-200 - SA-202
size small, medium, large and extra large

Code	CND	Catalogue
250-S	Y123621	1802678/R
250-M	Y123621	1802680/R
250-L	Y123621	1802681/R
250-XL	Y123621	1802682/R



200-W | Bathing sling

For electric patient-lifter SA-200 - SA-202
size small, medium, large and extra large



Code	CND	Catalogue
250-TS	Y123621	1802683/R
250-TM	Y123621	1802684/R
250-TL	Y123621	1802685/R
250-TXL	Y123621	1802687/R



Standard hammock-style harness with leg padding | 250



250-T | Standard hammock-style harness with leg padding and headrest





Patient lift with pedestal base, suitable for use with all types of bed, space-saving and completely removable.

In basic configuration equipped with:

- Structure in painted steel and chromed adjustable coupling tube.
- Three height adjustments.
- Triangle handle with adjustable strap.



Code
SA-10

Dimensions
da 70 a 86 cm

Height
Da 182 a 191 cm

Capacity
80 kg

Weight
11 kg

Electric bed with variable height,
aluminum sides



Variable-height electric bed with aluminum side rails and wooden slatted base.
Head section and leg section adjustable via a single electric actuator with a wired remote control.
Included in the package, a patient lift with a handle for attachment.
Bed length: 200 cm
Total length: 212 cm

Code	Mesh dimensions	Total dimensions	Height from the ground	Torso lift	Legs lift	Max capacity	Weight
	90 x 200 cm	103 x 215 cm	ca.38 a 79 cm	70°	30°	180 kg	98 kg



ANTI-TRENDELLEMBURG

TRENDELLEMBURG

Electric bed with variable height equipped with a wooden slats base with articulated movement. Thanks to the remote control, it is possible to adapt the torso and leg lifts separately or simultaneously and allow the user to assume the most comfortable position. The Trendelemburg and Anti-Trendelemburg function allows the Healthcare Operator to carry out anti-decubitus prevention action.

Bed equipped in the basic configuration with:

- 4 swivel wheels of 100 mm with parking brake.
- Electric leg lifts and torso lifts.
- Variable height.
- Graft patient lift.
- Aluminum sliding sides.
- Magnetic key for remote control activation.

Code	Mesh dimensions	Total dimensions	Height from the ground	Torso lift	Legs lift	Max capacity	Weight
LT10-ALLUM (Bed with patient lifter)	200 x 90 cm	220 x 105 cm	43 a 86 cm	70°	30°	180 kg	105 kg










Electric bed with variable height for obese people. 4-section articulated bed base with metal slats. Using the remote control, the torso and leg lifts can be adjusted to allow the patient to assume the most comfortable position. The remote control is deactivated if not used for about 2 minutes and is reactivated using the magnetic key supplied.

The Trendelenburg and anti-Trendelenburg functions support the healthcare worker in the maneuvers of prevention of bedsores.

The bed is equipped with sliding aluminum rails, four swiveling wheels with parking brake and graft-mounted patient lifters with handle.

Available in two different sizes as indicated in the technical characteristics table.

							
Code	Mesh dimensions	Total dimensions	Height from the ground	Torso lift	Legs lift	Max capacity	Weight
LT-120B	120 x 191 cm	132 x 215 cm	da.36 a 76 cm	70°	30°	285 kg	125 kg
LT-140B	140 x 191 cm	152 x 215 cm	da.36 a 76 cm	70°	30°	285 kg	135 kg

90500028

1-crank folding bed





Folding hospital bed with 1 crank, with retractable folding handle, for adjusting the torso height up to 70°, and electro-welded metal mesh.
Headboard and footboard in painted steel structure with bayonet joints and equipped with an edged melamine panel prepared to support the bed base frame and bed accessories.

90500037

2-cranks folding bed



Folding hospital bed with 1 crank, with retractable folding handle, for adjusting the torso height up to 70° and the leg height up to 40°, and electro-welded metal mesh.
Headboard and footboard in painted steel structure with bayonet joints and equipped with an edged melamine panel prepared to support the bed base frame and bed accessories.



Code	Mesh dimensions	Total dimensions	Height from the ground	Torso lift	Legs lift	Max capacity	Weight
90500028	200 X 90,5 cm	206 X 92 cm	45 cm	70°	-	175 kg	38 kg
90500037	200 X 90,5 cm	206 X 92 cm	45 cm	70°	40°	175 kg	39 kg

24/07 S | **Basic bed support belt**
ensures a great safety preventing falls
and allows the patient to do restricted movements.



Double bed support belt | 24/07 D
ensures a great safety preventing falls and
allows the patient to do wide movements



AQ-20N

Steel-frame cushion lifter



Painted steel pillow support, can be adjusted in five different tilt positions. Transpiring nylon upholstery with padded head support.

Size: 50 x 57 cm;

Weight: 3 kg;

Capacity: 114 kg.

AQ-120

Steel- frame blanket support



Steel blanket support.
Weight: 500 g.
Size: 48,5 x 38 x 37,5 cm.

AQ-10N

Single bed rail



Painted steel height adjustable single bed rail. The base is provided with non-slip rubber supports.
Capacity: 110 kg.

Technical specifications

Dimensions


87 x 76 cm

Height

from 47 to 55 cm

AQ-11

Single bed rail with adjustable legs



Single bed rail with height adjustable legs, tubes are coated with epoxy powder paint.
Provided with rubber protections.

Technical specifications

Legs adjustment (A)

from 45 to 55 cm

Rail adjustment (B)

from 77 to 98 cm

Length adjustment (C)


from 86 to 114 cm

Width (D)

47 cm

AQ-12

Universal adjustable bed rail



Chrome-plated steel universal bed rail, can be adapted to every bed type. The possibility to adjust its height ensures a great safety to the user.

Technical specifications

Length

154 cm

Width

from 68 to 118 and from 142 to 204 cm



Folding rails, applicable to the headboard and footboard of beds through the galvanized steel hooks, complete with sealing spring and covered in soft PVC. Chromed steel tube.
Weight: 13 kg per pair.
Compatible with Intermed LT-101P and LT-102P beds.

AQ-60N



Height adjustable tilt-top overbed table

Carriage overbed table with wooden tilt height adjustable surface. Metallic frame with four casters, two of them with locking system.

Technical specifications

Dimensions	Height	Weight
40 x 60 cm	from 72 to 115 cm	7,1 kg

AQ-62



Height adjustable tilt-top overbed table

Overbed table with folding steel frame, four swivel casters, two of them with locking system. Board and stand structure can be tilted separately. Height adjustable and plastic board edges.

Technical specifications

Dimensions	Height	Weight
60 x 40 cm	from 70 to 95 cm	7,1 kg

AQ-63X



Table Easy Bridge



This large coffee table can be used when eating, drinking or doing other activities, while in bed or sitting in a chair. It can be used on a bed or on a chair and is equipped with four swiveling wheels, 2 of which with brakes.

Available in the variants:

Code	Adjustable width
AQ-63	from cm 113 to cm 136
AQ-63L	from cm 133 to cm 156

CA-74

Anatomic cervical support pillow



Cervical pillow made of visco elastic foam, covered with 100% cotton lining. The specific anatomic shape and the padding viscosity soothe the pressure areas and improves transpiration, ensuring comfort when sleeping and relaxing.
Size: 70 x 42 cm.

MPR 158

CPAP cushion - Fluffy



Polyurethane cushion for NIV - Non Invasive Ventilation.
The soft surface adapts to the head natural shape thanks to the polyurethane foam padding and to the 100% natural cotton covering. It is possible to sleep both supine and on your side with every kind of mask: rhinal, facial or nasal-pillow. It avoids mask drops due to pillow leaning.
The possibility of sleeping on the side reduces the amount of sleep apneas, improving sleep quality.
Size: 33,5 x 50 x 9 cm.

AQ-70N

Stand-up chair



Adjustable chair with seven different adjustment levels with painted steel structure, backrest and removable armrests.
Particularly indicated during rehabilitation post hip interventions and difficulties in taking the seat, but also ideal for people who are forced to stand upright.

Technical specifications

Seat	Height (adjustable)	Weight	Capacity
28 x 36 cm	from 55 to 70 cm	5,6 kg	135 kg

WALKERS and ROLLATORS

AD-N40

Fixed folding walker



Foldable walker with aluminum structure, adjustable in height, a horizontal stabilizing steel bar, and four ground contact points. The opening and closing of the two side sections of the frame are easily done using the locking pin located at the center of the upper bar. Two rubber handles ensure a proper and secure grip on the structure. The four legs are equipped with non-slip rubber tips, providing a stable base during use. The walker may be available in different configurations, such as fixed or swivel wheels with a diameter of 3" or 5", and a locking system.

	Base space	Height	Ø Pipe	Weight	Capacity
	58,6 x 46 cm	from 76 to 93 cm	2,6 cm	2,9 kg	136 kg

AD-N46

Two-bar folding walker



Foldable walker with aluminum structure, two horizontal stabilizing steel bars, and four ground contact points. The opening and closing of the two side sections of the frame are easily done using the locking pin located at the center of the upper bar. Two rubber handles ensure a proper and secure grip on the structure. Height adjustment is possible. The four legs are equipped with non-slip rubber tips, providing a stable base during use. The walker can be equipped with optional components such as fixed or swivel wheels with a diameter of 3" or 5" and a locking system.

	Base space	Height	Ø Pipe	Weight	Capacity
	58,6 x 46 cm	from 75,2 to 92,9 cm	2,6 cm	2,2 Kg	136 Kg

AD-N47

Foldable walker fixed or articulated



Foldable articulated walker with aluminum structure, one horizontal stabilizing steel bar, and four ground contact points. The opening and closing of the two side sections of the frame are easily done using the locking pin located at the center of the upper bar. Two rubber handles ensure a proper and secure grip on the structure. It can be used in articulated mode. The articulated mechanism between the two sections allows better adaptation to the patient's walking pace. Height adjustment is possible. The four legs are equipped with non-slip rubber tips, providing a stable base during use.

	Base space	Height	Ø Pipe	Weight	Capacity
	58,6 x 46 cm	from 76 to 93 cm	2,6 cm	2,2 kg	136 kg

AD-49

Folding aluminum walker with double handles



Folding walker with an aluminum structure, a horizontal steel stabilizer bar, and four ground contact points. The opening and closing of the two side sections of the frame can be easily done using the locking pin located in the center of the upper bar. Two rubber grips ensure a proper and secure grip on the structure during walking, and two lower grips assist in the lifting phase from the seat. There is a possibility of height adjustment. The four legs are equipped with non-slip rubber tips that provide a safe support base during use.

	Base space	Height	Ø Pipe	Weight	Capacity
	60 x 55 cm	from 71 to 89 cm	2,6 cm	2,7 kg	136 kg

AD-N46 Plus

PREMIUM folding walker



Folding walker with blue aluminum structure, with two horizontal steel stabilizer bars. Equipped with 2 front 4" swiveling wheels with directional locking device and two push-to-open rods at the rear.

The opening and closing of the two side section of the frame are done easily through the locking pin located in the center of the upper bar.

Two rubber handles ensure an adequate and safe grip to the structure.

Possibility of height adjustment.

	Base space	Height	Ø Pipe	Weight	Capacity
	53 x 47,5 cm	from 84 to 101 cm	2,6 cm	2,9 kg	136 kg

AD-48

Folding aluminum walker with brakes



Folding walker with aluminum structure, a horizontal steel stabilizer bar and four points of support on the ground. The opening and closing of the two side sections of the frame are done easily using two buttons on the top bar.

Two rubber handles ensure an adequate and safe grip to the structure.

Equipped with two front swivel wheels and two rear fixed wheels with brakes operated by levers on the handles. Possibility of height adjustment.

	Base space	Height	Ø Pipe	Weight	Capacity
	64 x 58 cm	from 85 to 103 cm	2,6 cm	3,5 kg	136 kg

	Description
AD-R3	Walker legs with fixed wheels, diameter 3"
AD-R5	Walker legs with fixed wheels, diameter 5"
AD-RG3	Walker legs with swivel wheels, diameter 3"
AD-RG5	Walker legs with swivel wheels, diameter 5"
AD-R3A	Walker legs with wheels and self-locking system, diameter 3"
AD-R5A	Walker legs with wheels and self-locking system, diameter 5"
AD-GA	Walker legs with tips and self-locking system

	Description
AD-N41K3	AD-N40, with 2 fixed wheels 3"
AD-N41K5	AD-N40, with 2 fixed wheels 5"
AD-N42K3	AD-N40, with 2 swivel wheels 3"
AD-N42K5	AD-N40, with 2 swivel wheels 5"
AD-N43K3	AD-N40, with 2 fixed wheels and 2 fixed wheels with 3" self-locking
AD-N43K5	AD-N40, with 2 fixed wheels and 2 fixed wheels with 5" self-locking
AD-N44K3	AD-N40, with 2 fixed wheels 3" and tips with self-locking
AD-N44K5	AD-N40, with 2 fixed wheels 5" and tips with self-locking
AD-N45K3	AD-N40, with 2 swivel wheels and 2 fixed wheels with 3" self-locking
AD-N45K5	AD-N40, with 2 swivel wheels and 2 fixed wheels with 5" self-locking
AD-N46K3	AD-N40, with 2 3" inch swivel wheels and tips with self-locking
AD-N46K5	AD-N40, with 2 5" swivel wheels and tips with self-locking



Fixed walker with aluminum structure, adjustable in height with four points of support on the ground.

Two rubber handles ensure an adequate and safe grip to the structure.

The four legs are equipped with non-slip rubber tips which form a safe support base during use.

Available in three sizes to better suit the user's needs.

Code	CND	Catalogue
AD-40FS	Y180918	1424342/R
AD-40FM	Y180918	1424343/R
AD-40FL	Y180918	1424344/R

Code	Base space	Height	Ø Pipe	Weight (from)	Capacity
AD-40FS	50 x 37 cm	from 64 to 74 cm	21 cm	21 kg	136 kg
AD-40FM	51 x 38 cm	from 74 to 84 cm	21 cm	21 kg	136 kg
AD-40FL	52 x 40 cm	from 83 to 93 cm	21 cm	21 kg	136 kg



Axillary walker with folding painted steel frame.

The basic model is provided with:

- Chrome-plated supports.
- Padded height adjustable underarm cushions.
- 4 swivel casters, two of them with brakes.

Base dimension	Height	Weight	Capacity
56 x 88 cm	from 118 to 145 cm	9 kg	100 kg

Accessories



AD-62
Brachial support
for Dublin



- Axillary walker with folding steel structure.
In basic configuration equipped with:
- 4 swirveling wheels, the two rear ones with brakes.
 - Height adjustable, padded axillary supports.

Accessories: removable padded seat, forearm supports with handles, complete padded forearm support, with groove and handles.

Base space	Axillary height	Seat height	Weight	Capacity
83 x 54 cm	from 114 to 144 cm	56 cm	11,5 kg	130 kg

Accessories



AD-6B/PA
Single brachial support with handles



AD-6BC
Complete brachial support with handles for walkers



AD-6S
Seat for walkers

Axillary walker



Axillary walker with folding steel structure, with adjustable base that allows to vary the height of the seat.

In basic configuration equipped with:

- 4 swirveling wheels, the two rear ones with brakes.
- Height adjustable, padded axillary supports.

Accessories: removable padded seat, forearm supports with handles, complete padded forearm support, with groove and handles.

Base space	Axillary height	Seat height	Weight	Capacity
83 x 54 cm	from 114 to 150 cm	from 56 to 60 cm	11,5 Kg	130 Kg


Accessories



AD-6B/PA
Single brachial support with handles



AD-6BC
Complete brachial support with handles for walkers



AD-6S
Seat for walkers

Axillary walker with break handles



- Axillary walker with folding steel structure.
In basic configuration equipped with:
- 4 wheels, 2 swirveling front wheels and 2 fixed rear wheels with brakes.
 - Height adjustable, axillary supports.
 - Two lever brake handles mounted on the front bar.

Accessories: removable padded seat, complete padded forearm support, with groove and handles.

Base space	Axillary height	Seat height	Weight	Capacity
83 x 54 cm	from 114 to 144 cm	56 cm	11,5 kg	130 kg

Accessories



AD-6B/PA
Single brachial support with handles



AD-6BC
Complete brachial support with handles for walkers



AD-6S
Seat for walkers

Axillary walker with brachial supports and brakes



Walker with brachial supports and folding steel structure.
In basic configuration equipped with:

- 4 wheels, 2 swirveling front wheels and 2 fixed rear wheels with brakes.
- Brachial supports adjustable in height and depth with handles and level brakes.

Accessories: removable padded seat.

Base space	Axillary height	Seat height	Weight	Capacity
83 x 54 cm	from 98 to 127 cm	56 cm	11,5 Kg	130 Kg

Accessories



AD-6S
Seat for axillary walker

RA150

Rollator NEW Roma



4 wheels rollator with 2 swivel wheels on the front and 2 rear ones fixed with brakes.

The basic model is provided with:

- Steel folding frame.
- Cane holder.
- Plastic tray.
- Metallic storage basket.
- Padded rigid seat.
- Parking brake.
- Height adjustable handles

RA-215151N

Rollator NEW Londra



Rollator with 2 fixed casters on the front and two rear tips.

The basic model is provided with:

- Steel folding frame.
- Padded rigid seat.
- Height adjustable handles.
- PU foam filled tyres.

RA-151-ORANGE

Rollator Londra Top



Folding aluminum walker rollator with two fixed front wheels \varnothing 145 mm and two rear tips.

In basic configuration equipped with:

- Seat surface in polypropylene adjustable in height.
- Ergonomic handles adjustable in height.
- Backrest bar with EVA padding.

As an option, storage bag positioned under the seat surface, seat padding for greater comfort.

Orange colour.

RA-152-ORANGE

Rollator Parigi Top



Folding aluminum walker rollator with two swiveling front wheels ø 145 mm and rear twin wheels ø 145 mm, equipped with pressure brake.

In basic configuration equipped with:

- Seat surface in polypropylene adjustable in height.
- Folding tube / backrest with EVA padding for greater comfort.
- Ergonomic handles adjustable in height.

As an option, storage bag positioned under the seat surface, seat padding for greater comfort.

Orange colour.

RA-155

Rollator NEW Vienna



Rollator walker with four wheels and a folding aluminum structure, available in two color options, Blue or Gray. Swivel front wheels. Fixed rear wheels with parking brakes.

It comes with the following features in the basic configuration:

- Polypropylene seat panel with padding, adjustable in height.
- Ergonomic handles adjustable in height.
- Storage bag positioned under the seat panel.
- Cane holder.
- Flip-up backrest with EVA padding for increased comfort during use.

Color range

RA-155B



Blue

RA-155G



Grey/Silver

RA-163

Rollator Toronto



Foldable aluminum walker rollator with two swiveling front wheels ø 200 mm and rear wheels ø 200 mm, equipped with brakes.

In basic configuration equipped with:

- Seat surface in Polypropylene with padded cover, adjustable in height.
- Folding back tube with EVA padding for greater comfort.
- Ergonomic handles adjustable in height.
- Storage bag positioned under the seat surface.
- Stick holder.

RA-173

Rollator Monaco



Rollator walker in aluminum structure with four wheels, swiveling front 10", rear 8" with braking system. The frame is foldable to reduce the overall dimensions during transport.

In the basic configuration equipped with:

- Ergonomic handles adjustable in height.
- Parking brake levers.
- Rigid padded seat surface with backrest band.
- Armrests.
- Footrest for use as a transit wheelchair.
- Storage bag positioned under the seat surface.
- Stick holder.

RA-172

Rollator Sparta



Rollator walker with aluminum structure with four 8" wheels, the front swiveling and the rear with braking system. The frame is foldable cross-shaped and the handle rods can also be folded to reduce its space during transport.

In basic configuration equipped with:

- Ergonomic handles adjustable in height.
- Parking brake levers.
- Nylon seat surface and backrest band for greater comfort.
- Storage bag positioned under the seat surface.
- Stick holder.

RA-215165N

Rollator Montreal



4 wheels rollator with aluminium folding frame; 2 swivel wheels on the front and 2 rear ones fixed with parking brakes. The basic model is provided with:

- Aluminium folding frame.
- Swivel wheels on the front.
- Padded rigid seat.
- Padded backrest.
- Ergonomic height adjustable handles with brakes.
- Metallic storage basket.

RA-165-ORANGE

Rollator Montreal Top



Folding aluminum walker rollator with two swiveling front wheels ø 200 mm and rear wheels ø 200 mm, equipped with brakes.

In basic configuration equipped with:

- Seat surface in Polypropylene with padded cover, adjustable in height.
- Folding tube / backrest with EVA padding for greater comfort.
- Ergonomic handles adjustable in height.
- Storage bag positioned under the seat surface.
- Stick holder.
- Orange colour.

RA-171-AB

Mosca New rollator with forearm supports.



Walker with wheels and folding aluminum structure. Swiveling front wheels. Fixed rear wheels with brakes.

In basic configuration equipped with:

- Seat top and backrest band in Nylon.
- Ergonomic handles adjustable in height and depth.
- Parking brake levers.
- PU padded forearm pads.
- Storage bag.
- Stick holder.

RA-158B

Bariatric rollator Kiev



Rollator walker for obese patients, with folding steel frame with four wheels, swiveling front and fixed rear with parking brake.

In basic configuration equipped with:

- Polypropylene seat.
- Anatomic adjustable handles.
- Parking brakes
- Tray.
- Basket for objects.
- Stick holder.

RA-159B

Bariatric rollator Tula



Walker with wheels and folding structure in reinforced aluminum, also suitable for obese patients. 8" swivel front wheels and 8" fixed rear wheels equipped with brakes.

In basic configuration equipped with:

- Seat surface in padded polypropylene, adjustable in height.
- Wide backrest in reinforced Nylon.
- Ergonomic height-adjustable handles with parking brakes.
- Storage bag.
- Stick holder.

BATHROOM AIDS

Anatomic raised toilet seat with side attachments



It can be fixed on the WC through a locking system constituted by two plastic clamps placed on the side and width adjustable.

Can be adapted to most of the oval WC and it is available in 3 different height sizes, in order to better suit each user's need. The anatomic opening facilitate personal care procedures.

Can be sanitized in the autoclave at 85° for 1 minute.

Maximum capacity: 225 kg

RA-210106



RA-210110



RA-210114



Other product types

Code	Height
RA-210106	6 cm
RA-210110	10 cm
RA-210110CF	10 cm, pack of 10 pieces.
RA-210114	14 cm
RA-210114CF	14 cm, pack of 7 pieces

Accessories for raised toilet seats

The following accessories can be useful to improve the technical features of raised toilet seats. Easy to apply, they can be quickly installed and therefore adapt the device to the user's needs.



Code	Description
RA-210 - RA-210 CF	Lid for raised toilet seats RA-210106, RA-210110, RA-210114 each. Available individually or in pack of 10 pieces.

RA-200



Soft toilet lift cover



Soft cover for toilet lifter with a thickness of 1.3 cm, ideal in case of need for a soft support compatible with the 6, 10 and 14 cm side-mounted toilet lifters.

Color range

RA-200A	Light Blue
---------	------------

RA-200G	Light Grey
---------	------------

RA-210100

Brackets for toilet lifts with lateral fixing

RA-2101125X

Raised toilet seat with central fixing system



The raised toilet seat is fixed to the WC through a locking system placed on the front so that it can be adapted to all oval WC types. The seat is provided with an anatomic contour and a central opening, to facilitate personal care procedures. There are three models available: without armrests, with fixed armrests and with flip-open armrests, in order to fit every user's needs.

Maximum capacity: 130 kg.

RA-2101125



RA-2101125BF



RA-2101125BR



Other product types

Code	Height
RA-2101125	12,5 cm without armrests
RA-2101125BF	12,5 cm with armrests
RA-2101125BR	12,5 cm with flip-open armrests

RA-210101

Locking bracket for WC lift

Accessories for raised toilet seats

The following accessories can be useful to improve the technical features of raised toilet seats. Easy to apply, they can be quickly installed and therefore adapt the device to the user's needs.



RA-210150

Bidet for raised toilet seats RA-210106, RA-210110, RA-210114

RA-210170X

Soft toilet cover

Soft toilet seat cover made of polyurethane foam to be applied on the toilet seat, or, in case it is too narrow, directly on the ceramic of the toilet bowl. Load capacity: 200 kg.



Color range

RA-210170A	Blue
RA-210170B	White

RA-210170V	Green
RA-210170N	Black

500410

Raised toilet seat - Clipper II



Four locking systems, safe and simple, placed on the front and on the sides. It ensures a great stability and its anatomic shape provides great comfort during usage. Can be adapted to most of the WC. Available in white with blue attachments. Maximum capacity: 135
Height: 11 cm.

950040

Clipper Fixing

500200N

Soft toilet lift



Swivel bath seat with painted steel frame and stainless steel rotating pivot. Polythene seats with drain holes to facilitate water flow and fixed handgrips. 360° rotation, allowing the user to get into and out of the bath with much greater ease. The basic model is provided with:

- Polythene seat and backrest covered in plastic
- Bath support
- Stainless steel rotating pivot

Technical specifications

Seat width	Overall width	Weight	Capacity
40 cm	73 cm	5,5 kg	100 kg

Swivel bathtub seat with polyurethane padding



Swivel bath seat with aluminium frame; padded with anatomic polyurethane. Bath supports can be width adjusted, so that it can be adapted to all bath types, for a great safety. 360° rotation, allowing the user to get into and out of the bath with much greater ease.

The basic model is provided with:

- Flip-open handgrips to facilitate transfers
- Can be adjusted in 3 different width levels (2,5 cm for each side)
- Detachable backrest

Technical specifications

Seat width	Overall width	Weight	Capacity
40 cm	from 56 to 66,5 cm	7,5 kg	120 kg

AB-34

Sliding and swivel chair for bathtub/shower with padding



Bath or shower chair with height-adjustable aluminum structure. Ergonomic seat in soft PU, 360° swiveling and sliding to facilitate entry into the tub (height under the seat, adjustable from 39 to 50 cm) or into the shower. Folding armrests padded in EVA and adjustable in width.

Technical Specifications

Seat dimensions	Backrest dimensions	Weight	Capacity
39 x 32 cm	42 x 19 cm	8,4 kg	120 kg

AB-41N

Adjustable seat for bathtub



Bath seat with width adjustable supports; anodized aluminium frame and polythene seat. The basic model is provided with:

- Polythene ergonomic seat with drain holes for water flow.
- Width adjustable bath supports with non-slip rubber bands.

Technical specifications

Seat width	Overall width	Weight	Capacity
37 x 23 cm	from 77 to 85 cm	1,3 kg	120 kg

AB-10

Shower stool



Height adjustable shower stool with anodized aluminium frame. Polythene rectangular seat with handles on both sides and drain holes for water flow. The basic model is provided with:

- Rectangular polythene seat with drain holes for water flow.
- Handles on both sides.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
49 x 28 cm	from 36 to 46 cm	1,9 kg	120 kg

AB-11

Round shower stool



Height adjustable shower stool with anodized aluminium frame and round polythene seat. The basic model is provided with:

- Polythene round seat.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
Ø 32 cm	from 36 to 54 cm	1,25 kg	120 kg

AB-12N

Folding shower stool



Folding and height adjustable shower stool with anodized aluminium frame. Rectangular seat with handles on both sides and drain holes for water flow. The basic model is provided with:

- Polythene rectangular seat with drain holes for water flow.
- Handles on both sides.
- Height adjustable legs in 3 different levels.
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
50 x 30 cm	from 42 to 46 cm	2,2 kg	120 kg

AB-13

Shower stool with pull-out armrests



Height adjustable shower stool with anodized aluminium frame and polythene rectangular seat with armrests on both sides; drain holes for water flow. The basic model is provided with:

- Rectangular polythene seat with drain holes for water flow.
- Extractable padded armrests on both sides.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
40 x 33 cm	da 40 a 50 cm	2,8 kg	120 kg

AB-14N

Shower stool - Plus



Height adjustable shower stool with anodized aluminium frame. Polythene rectangular anatomic seat with handles on both sides and drain holes for water flow. The basic model is provided with:

- Rectangular polythene ergonomic seat with drain holes for water flow.
- Handles on both sides.
- Height adjustable legs in 5 different levels
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
53 x 40 cm	from 36 to 50 cm	2 kg	120 kg

AB-20

Shower chair



Height adjustable shower chair with anodized aluminium frame and polythene rectangular seat; handles on both sides, backrest and drain holes for water flow. The basic model is provided with:

- Rectangular seat with polythene backrest and drain holes for water flow.
- Handles on both sides.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
49 x 28 cm	from 42 to 46 cm	2,2 kg	120 kg

AB-21

Shower chair with armrests



Height adjustable shower chair with anodized aluminium frame and polythene rectangular seat provided with backrest, armrests on both sides and drain holes for water flow. The basic model is provided with:

- Rectangular seat with polythene backrest and drain holes for water flow.
- Extractable padded armrests.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
40 x 33 cm	from 40 to 50 cm	3,1 kg	120 kg

AB-22N

Folding shower chair



Height adjustable folding shower chair with anodized aluminium frame; rectangular seat with folding backrest and handles on both sides. Drain holes for water flow. The basic model is provided with:

- Polythene rectangular seat with backrest and drain holes for water flow.
- Handles on both sides.
- Height adjustable legs in 3 different levels.
- Non-slip rubber tips

Technical specifications

Seat	Height	Weight	Capacity
50 x 30 cm	from 42 to 46 cm	2,5 kg	120 kg

AB-23N

Shower chair - Plus



Height adjustable shower chair and polythene rectangular seat with armrests and drain holes for water flow. The basic model is provided with:

- Rectangular polythene seat with drain holes for water flow.
- Extractable padded armrests.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
53 x 40 cm	from 36 to 50 cm	2,5 kg	120 kg

AB-26

Hygienic shower stool



Height adjustable shower stool with anodized aluminium frame and polythene ergonomic seat opened in the center, to facilitate personal care. The stool is covered with soft polyurethane and has handles on both sides. The basic model is provided:

- Polythene seat with central opening and drain holes for water flow.
- Handles on both sides.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
44 x 36 cm	from 42 to 52 cm	2 kg	120 kg

AB-27

Hygienic shower chair



Height adjustable shower chair with anodized aluminium frame and polythene ergonomic seat opened in the center to facilitate personal care. The chair is covered with soft polyurethane and has handles on both sides. The basic model is provided with:

- Polythene seat with central opening and drain holes for water flow.
- Handles on both sides.
- Polythene backrest.
- Height adjustable legs in 5 different levels.
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
44 x 36 cm	from 42 to 52 cm	2,8 kg	120 kg

AB-43N

Bath board with handle



Bath board with handle and width adjustable supports for more stability during usage. Perfect to be used both as a seat or a support board during transfer. The basic model is provided with:

- Anatomic polythene board with drain holes for water flow. Plastic safety handle.
- Plastic width adjustable non-slip supports with rubber stops to protect tub from scratches.

Technical specifications

Board width	Overall width	Weight	Capacity
73 x 29 cm	from 33 to 58 cm	3,2 kg	135 kg

AB-44N

Bathtub table with handle and rotating disc



Bath board with handle and width adjustable supports for more stability during usage. The padded rotating and sliding plate facilitate user's movement. The basic model is provided with:

- Anatomic polythene board with drain holes for water flow.
- Padded rotating plate.
- Plastic safety handle.
- Plastic width adjustable non-slip supports with rubber stops to protect tub from scratches.

Technical specifications

Board width	Overall width	Weight	Capacity
73 x 29 cm	from 33 to 58 cm	3,2 kg	135 kg

AB-60N

Wall-mounted shower seat



Wall-mounted fold up shower seat with painted steel frame and polythene seat; drain holes for water flow. The basic model is provided with:

- Ergonomic folding polythene frame
- Seat provided with drain holes for water flow.

Technical specifications

Seat	Weight	Capacity
37 x 23 cm	2,7 kg	100 kg

AB-61N

Wall-mounted seat with legs for shower



Wall-mounted fold up shower seat with height adjustable legs. Painted steel frame and polythene anatomic seat with drain holes for water flow. The possibility of adjusting the height of legs allows the user to mount the seat to the wall from 49 to 56 cm. The basic model is provided with:

- Polythene anatomic folding seat.
- Height adjustable legs.
- Seat provided with drain holes for water flow.

Technical specifications

Seat	Weight	Capacity
41 x 40,5 cm	3,9 kg	120 kg

AB-70

Bathtub footboard



Height adjustable bath bench with anodized aluminium frame and polythene board. The basic model is provided with:

- Legs can be height adjusted from 20 to 25,5 cm.
- Non-slip rubber tips.

Technical specifications

Seat	Weight	Capacity
41 x 23 cm	1,3 kg	120 kg



Bath seat with a modern and appealing design, width adjustable supports with non-slip rubber tips. The frame is made of anodized aluminium while the seat is made of polypropylene and glass fiber. The basic model is provided with:

- Ergonomic polypropylene (70%) and glass fiber (30%) seat with drain holes for water flow.
- Width adjustable supports for bath edges and non-slip rubber tips.



Technical specifications

Board width	Supports overall width	Weight	Capacity
37 x 30 cm	from 67 to 77 cm	1,5 kg	120 kg



Bath seat with a modern and appealing design provided with backrest, width adjustable supports and non-slip rubber tips. The frame is made of anodized aluminium while the seat is made of polypropylene and glass fiber. The basic model is provided with:

- Ergonomic polypropylene (70%) and glass fiber (30%) seat with drain holes for water flow.
- Width adjustable supports for bath edges and non-slip rubber tips.



Technical specifications

Board width	Supports overall width	Weight	Capacity
37 x 30 cm	from 67 to 77 cm	1,5 kg	120 kg

AB-210

Shower stool - King line



Fixed height shower stool made of corrosion resistant materials. Ergonomic seat with drain holes to facilitate water flow. The basic model is provided with:

- Anodized aluminium frame.
- Seat: 70% polypropylene, 30% glass fiber
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
30,5 x 30,5 cm	42 cm	1,5 kg	150 kg

AB-202

Height adjustable shower stool - King line



Shower stool with a modern and appealing design with anodized aluminium legs; polypropylene and glass fiber ergonomic seat with drain holes for water flow. The basic model is provided with:

- Ergonomic polypropylene (70%) and glass fiber (30%) seat with drain holes for water flow.
- 4 anodized aluminium legs.
- Non-slip rubber tips.

Technical specifications

Seat	Height (adjustable)	Weight	Capacity
30,5 x 30,5 cm	from 39 to 54 cm	1,3 kg	120 kg

AB-204

Height adjustable shower stool - King line



Shower stool with a modern and appealing design, with height adjustable anodized aluminium legs, ergonomic polypropylene and glass fiber seat with side handles and drain holes for water flow. The basic model is provided with:

- Polypropylene (70%) and glass fiber (30%) ergonomic seat with side handles and drain holes for water flow.
- Four height adjustable anodized aluminium legs.
- Anatomic non-slip rubber tips.

Technical specifications

Seat	Height (adjustable)	Weight	Capacity
50 x 30 cm	from 39 to 54 cm	1,5 kg	120 kg

AB-205

Height adjustable shower chair - King line



Shower chair with a modern and appealing design, with height adjustable anodized aluminium legs, ergonomic polypropylene and glass fiber seat and backrest; provided with side handles and drain holes for water flow.

The basic model is provided with:

- Polypropylene (70%) and glass fiber (30%) ergonomic seat with side handles and drain holes for water flow.
- Ergonomic backrest.
- Four height adjustable anodized aluminium legs.
- Anatomic non-slip rubber tips.

Technical specifications

Seat	Height (adjustable)	Backrest height	Weight	Capacity
50 x 30 cm	da 39 a 54 cm	26 cm	1,9 kg	120 kg



Fixed height shower stool made of corrosion resistant materials. Ergonomic seat with drain holes to facilitate water flow. The basic model is provided with:

- Anodized aluminium frame.
- Seat: 70% polypropylene, 30% glass fiber
- Non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
30,5 x 30,5 cm	42 cm	1,5 kg	150 kg

AB-211

Round shower stool



Shower stool. Round seat with drainage holes to facilitate water flow, adjustable in height.
Anodized aluminum structure with non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
33 cm	from 39 to 54 cm	1,5 kg	150 kg

AB-212

Shower stool with armrests



Foldable shower stool with anodized aluminum structure:

- ergonomic polyethylene seat with water drainage holes;
- side handles;
- height adjustment with three different levels from 42 to 46 cm;
- non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
50 x 30 cm	from 42 to 46 cm	2,2 kg	150 kg

AB-214

Shower chair with pull-out armrests



Shower chair with adjustable height armrests. Ergonomic seat with handles and drainage holes to facilitate water flow. Anodized aluminum structure with non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
50 x 30 cm	from 39 to 54 cm	1,9 kg	150 kg

AB-215

Hygienic shower stool



Hygienic shower stool with adjustable height. Ergonomic seat with front recess for easy intimate hygiene, with handles and drainage holes to facilitate water flow. Upon request, the possibility to attach armrests. Anodized aluminum structure with non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
50 x 30 cm	from 39 to 54 cm	1,5 kg	150 kg

AB-216

Hygienic shower chair



Hygienic shower chair with adjustable height. Ergonomic seat, front recess for easy intimate hygiene, with handles and drainage holes to facilitate water flow. Upon request, the possibility to attach armrests. Anodized aluminum structure with non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
50 x 30 cm	from 39 to 54 cm	1,9 kg	150 kg

AB-217

Hygienic shower stool with armrests



Hygienic shower stool with adjustable height. Ergonomic seat, front recess for easy intimate hygiene, with armrests and drainage holes to facilitate water flow. Anodized aluminum structure with non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
50 x 30 cm	from 39 to 54 cm	1,5 kg	150 kg




Hygienic shower chair with adjustable height. Ergonomic seat, front recess for easy intimate hygiene, with armrests and drainage holes to facilitate water flow. Upon request, the possibility to attach armrests. Anodized aluminum structure with non-slip rubber tips.

Technical specifications

Seat	Height	Weight	Capacity
33 x 46 cm	from 39 to 54 cm	1,9 kg	150 kg

AB-20

Cushion for AB-200/AB-201



AB-20CB		Bue
---------	--	-----

AB-20CG		Grey
---------	--	------

AB-30

Cushion for AB-211




AB-30CB		Bue
---------	--	-----

AB-30CG		Grey
---------	--	------

AB-40

Cushion for AB-204/205/212/214



AB-40CB		Bue
---------	--	-----

AB-40CG		Grey
---------	--	------

AB-50

Cushion for AB-215/216/217/218



AB-50CB		Bue
---------	--	-----

AB-50CG		Grey
---------	--	------

AB-60

Cushion for AB-202/210



AB-60CB		Bue
---------	--	-----

AB-60CG		Grey
---------	--	------

AB-208

Non-slip bath mat - King line



Soft polypropylene bath mat with antibacterial and anti-mould treatment, provided with draining grooves to facilitate water flow.



Technical specifications

Size	Weight	Capacity
70 x 35 x 2 cm	0,9 kg	120 kg

AB-209

Non-slip shower mat - king line



Soft polypropylene shower mat with antibacterial and anti-mould treatment, provided with draining grooves to facilitate water flow.



Technical specifications

Size	Weight	Capacity
55 x 55 x 2 cm	0,7 kg	120 kg

AB-63N

Stabilizing frame for toilet - removable



Anti-roll WC aluminium frame, detachable and height adjustable. Provided with non-slip rubber tips; suitable for all types of WC.

Technical specifications

Width	Depth	Height	Weight	Capacity
59 cm	46 cm	from 68 to 77 cm	2 kg	125 kg

AB-64N

Stabilizing frame for toilet - fixed



Anti-roll WC aluminium frame, height adjustable.
Provided with non-slip rubber tips; can be fixed to all types of WC.

Technical specifications


Width	Depth	Height	Weight	Capacity
from 51 to 61 cm	46 cm	from 68 to 77 cm	1,7 kg	135 kg

4 in 1 aluminium folding commode



4 in 1 height adjustable commode with aluminium folding frame. Perfect also as toilet lift or shower chair. The basic model is provided with:

- Soft polyurethane padded armrests.
- Can be adjusted in 7 different height levels.
- Seat with cover.
- Extractable bucket with lid.
- Non-slip rubber tips.



Seat width	Overall width	Overall Length	Seat depth	Seat height	Weight	Capacity
48,5 cm	50 cm	50 cm	37 cm	42-57 cm	5 kg	120 kg

AB-56

Commode chair with casters



Commode chair with 4 casters, two of them with brakes. Provided with folding flip-open armrests and extractable height adjustable footrests. The basic model is provided with:

- 4 swivel casters, 2 of them with brakes.
- Faux leather padded seat cover.
- Plastic seat with commode.
- Extractable bucket with lid.
- Detachable backrest.
- Flip-open armrests.
- Extractable and height adjustable footrests.



Seat
width

44 cm



Overall
width

56,5 cm



Overall
Length

70 cm



Seat
depth

41 cm



Seat
height

53 cm



Weight

12,9 kg



Capacity

120 kg

AB-55

Height adjustable commode chair - Plus



Height adjustable commode chair with detachable painted steel frame, perfect for home usage. The basic model is provided with:

- Extractable height adjustable legs.
- Can be adjusted in 6 different height levels.
- Plastic padded armrests.
- Padded covered seat.
- Padded commode seat.
- Padded backrest.
- Extractable bucket with lid.
- Non-slip rubber tips.



Seat
width

40 cm



Overall
width

54 cm



Overall
Length

60 cm



Seat
depth

44 cm



Seat
height

48-61 cm



Weight

7,5 kg



Capacity

120 kg

Commode chair adjustable in height



Commode chair with painted steel structure, adjustable in height, ideal for home use.

In basic configuration equipped with:

- Height adjustable legs.
- Five levels of height adjustment.
- Armrest with plastic padding.
- Full seat padded with cover.
- Padded seat with hole.
- Padded back.
- Removable bucket with lid.
- Non-slip rubber tips.

Seat width	Total width	Total lenght	Seat depth	Seat height	Weight	Capacity
40 cm	54 cm	60 cm	44 cm	40-50 cm	7,5 kg	110 kg

Commode hygienic pads



Commode hygienic pads. Pack of 30 pieces.

AB-28B

Bathtub transfer chair for obese patients



Shower or bathtub chair with aluminum structure adjustable in height. Ergonomic seat in polyethylene with holes for the drainage of water. Side handle with EVA padding and non-slip rubber feet. Polyethylene back with grip. Thanks to the width of the seat, which allows to slide on it while sitting in a seated position, and to the height adjustment, it allows to enter the tub easily.



Seat width	Total width	Total length	Seat depth	Seat height	Weight	Capacity
61 cm	72 cm	51 cm	41 cm	44-54 cm	7,3 kg	225 kg

AB-29B

Toilet and shower chair for obese patients



Shower chair with aluminum structure adjustable in height, suitable for obese patients. Large ergonomic seat in polyethylene with holes for the drainage of water and a central hole for toilet. Side armrests with EVA padding and non-slip rubber feet. Polyethylene back with grip. Removable plastic bucket.



Seat width	Total width	Total length	Seat depth	Seat height	Weight	Capacity
66 cm	75 cm	46 cm	41 cm	49-59 cm	6,4 kg	225 kg

Shower and commode with neckrest and casters










Shower and commode chair with aluminium frame and tilt backrest. Polyurethane padded seat and backrest, perfect to ensure great comfort to the user. Ideal to be used both at hospital and at home; the basic model is provided with:

- Polyurethane height and depth adjustable neckrest.
- Extractable armrests.
- Extractable and folding footrest.
- 4 self-lubricating casters with brakes.
- Easy to disassemble for volume reduction.
- Safety belt.
- Extractable plastic bucket.

Accessories



AB9-A
Polyurethane
seat cover

						
Seat width	Overall width	Overall Length	Seat depth	Seat height	Weight	Capacity
42 cm	54 cm	80 cm	42 cm	55 cm	15 kg	120 kg

Shower and commode with neckrest and casters




Shower and commode chair with aluminium frame and “ejection” seat, to facilitate user’s moving during stand-up. The basic model is provided with:

- Polyurethane padded seat, backrest and armrests.
- Height adjustable.
- Non-slip rubber tips.
- Extractable plastic bucket.
- Height adjustable seat.

Accessories



AB9-A
Polyurethane
seat cover



Seat width	Overall width	Overall Length	Seat depth	Seat height	Weight	Capacity
42 cm	54 cm	80 cm	42 cm	49-53 cm	11 kg	120 kg

Shower and commode chair
with casters



Tilt shower and commode chair (up to 25°) with painted aluminium frame and height adjustable seat and padded folding armrests. Ideal to be used both at hospital and at home; the basic model is provided with:

- Extractable and height adjustable plastic footrests.
- Nylon calf support band.
- Soft polyurethane seat with commode cover.
- Extractable plastic bucket.
- Nylon backrest with adjustable belts.
- Safety belt.
- Tilt seat up to 25°
- Seat-backrest corner adjustable to 93° or 103°.
- PU padded folding armrests.
- 120 mm plastic swivel casters, sealed and self-lubricating, with rubber upholstery and brakes.
- Polyurethane height and depth adjustable neckrest.



Seat
width

44 cm



Overall
width

54 cm



Overall
Length

80 cm



Seat
depth

43 cm



Seat
height

55-57cm



Weight

15 kg



Capacity

120 kg



Shower and commode padded chair with aluminium folding frame; very practical for home usage. The basic model is provided with:

- Polyurethane padded seat .
- Polyurethane padded backrest.
- Height adjustable.
- Non-slip rubber tips.
- Extractable plastic bucket.

Accessories



AB9-A
Polyurethane
seat cover



Seat
width

42 cm



Overall
width

54 cm



Overall
Length

60 cm



Seat
depth

42 cm



Seat
height

47-60 cm



Weight

7 kg



Capacity

120 kg

DAILY AIDS

817294

Easy reacher with beak jaws 81 cm



A gripping clamp equipped with rotating beak jaws that facilitate the grasp of even very small and delicate objects.

8170XX

Easy reacher with rotating jaws



A gripping clamp equipped with a non-slip rotating jaw with wide opening and a magnet inside.

Other product types

Code	Length
817067	67 cm
817068	76 cm

AQ-30

Easy reacher 360° rotation



Aluminium frame reacher. Jaws are covered with non-slip rubber and have a 360° rotation, which allows user to pick up objects without having to rotate arm and wrist. Ergonomic trigger grip with grasp/closure double system. Suggested for objects weighing up to 2,2 kg. Length: 66 cm.

AQ-3X

Easy reacher with magnet



Aluminium frame reacher. Jaws are covered with non-slip rubber and have a magnet on the tip. Ergonomic and easy to use trigger grip with grasp/closure double system.

Other product types

Code	Length
AQ-31	66 cm
AQ-32	80 cm
AQ-33	66 cm - folding

813146

Thermal plate



Thermal plate with a lid, high and curved edge to facilitate one-handed food grip.

813X

Plate



Plate with high and straight edges that allow for easier one-handed eating:

813098: Red plate

813099: Orange plate

813141: Blue plate

813142: Green plate

813140: White plate

AQ-74/AQ-75

Plate / Edge for plate



Assistive device intended for users with varying degrees of upper limb mobility limitation to facilitate the normal tasks associated with food consumption.

AQ-84

Partitioned plate with suction cup base



Partitioned plate with suction cup base. The removable suction cup base sticks solidly to any smooth table or work surface. The upper plate is safe for dishwashers and microwaves.

AQ-85

Plate with sloped bottom and suction base



Scooper plate with a reverse curve on one side and suction cup base. The removable base sticks solidly to any smooth table or work surface. The upper plate is safe for dishwashers and microwaves.

813073

Edge for plate



Ideal for low-edge plates with a diameter ranging from 23 to 28 cm.

8131

Glass with a nasal groove



Glass suitable for patients who have difficulty tilting their head back:

813152: green

813153: white

813175: blue

813168

Glass with dual ergonomic handles and spout



Cup with dual ergonomic handles, spout lid, and wide base for better stability.

813056

Glass with dual handles and spout



Cup with dual handles and spout lid.

SA3251000

Ergonomic two-handled cup with spout lid



Clear cup provided with two ergonomic handles and spout lid. Large base for more stability. Safe for dishwashers and microwaves.



SA3252000

Cut out tumbler



Blue cut out tumbler designed for people who cannot tilt their heads back or stretch their neck. Safe for dishwashers and microwaves.



813246

Spoon with swivel feature and contoured handle



Swiveling handle covered in molded non-slip rubber.

813247

Spoon with swivel feature and contoured handle



Swiveling handle covered in molded non-slip rubber.

813248

Fork with swivel feature and contoured handle



Swiveling handle covered in shaped non-slip rubber.

AQ-71F

Comfort grip fork



Comfort grip fork with nylon strap to facilitate grasp. Can be adjusted both to left or right hand.

813249

Knife with contoured handle

Handle covered in shaped non-slip rubber.



813052

Knife with 90-degree angled handle

Knife ideal for people with gripping difficulties, thanks to the angle between the handle and the blade that facilitates cutting food.



813009

Knife-fork with contoured handle

Ideal for individuals who need to eat using only one limb, it allows for cutting and scooping food.



813250

Mezzaluna knife

Thanks to the shape of the blade, it allows for cutting food with minimal effort.



AQ-72

Comfort grip knife



Comfort grip knife with nylon strap to facilitate grasp.

813114


Cutlery handle strap



It assists in the grip of utensils.

818056

Non-slip mat



The mat measures 48 x 28 cm and provides a non-slip surface for everyday objects such as cutlery, glasses, etc.

818056.BLEU: 48 x 28 cm Blue

818056.GRIS: 48 x 28 cm Gray

818056.ROUGE: 48 x 28 cm Red

817243

Pincer bottle opener



A simple aid that allows you to effortlessly open all types of bottles.

AQ-76

Bottle holder

Clamp that can be used on a table or bench to stabilise bottles whilst they are opened or closed.



819023

Button fastener

This aid allows you to button shirts, pants, or jackets effortlessly, making it particularly suitable for people with arthritis in their hands or those who are weak.



819224

Shoe horn

Thanks to its 76 cm length and dual configuration, it is ideal for both putting on and taking off shoes.



819047

Plastic shoe horn

Ergonomic shoe horn, 66 cm in length.



819048

Sock aid



Sock aid, suitable for users with limited mobility in putting on socks.

AQ-93N

Sock aid



Stocking aid perfect for those who have difficulty bending, grabbing and wearing stockings.

817059

Key handle



Tool specially designed for people with arthritis in their hands, making it easier to use keys.

817138

Suction cup brush



Ideal for hand hygiene, the brush can be used with one hand thanks to the two suction cups that attach it to the surface.

812079

Adjustable handle back scrubber

Efficient aid for personal care when bathing.



AQ-80N

Back bath sponge

Efficient aid for personal care when bathing.



8150

Rotating disc for transfers

Rotating disc with 2 non-slip sides, allows for safe 360° transfers in both seated and standing positions.

815031: 30 cm diameter

815089: 38 cm diameter



815066

Curved transfer axis

Thanks to its curved banana shape, it makes lateral transfers easier. Both ends on the underside are overlaid with non-slip material, providing better grip on smooth surfaces and making transfers safer.



AQ-100

Hair washing kit



Hair washing kit composed of an inflatable shampoo basin with drainage tube for waste water outflow. Also provided with sack and tube.

AQ-40

Footrest



Footrest stool with chrome-plated steel frame and non-slip rubber surface. Reinforced rubber tips. Capacity: 150 kg.

AQ-131

Non-slip rubber bath mat with small suction cups



Bath mat made of natural rubber with suction cups for a slip-resistant safer surface. Color: ivory white
Dimensions: 40 x 70 cm

AQ-132

Non-slip rubber bath mat for back



Bath back mat made of natural rubber with head support. Dimensions: 32 x 38 cm. Color: ivory white.



Ring-shaped round cushion with jersey sack lining cover and extractable hole cover lid.

Other product types	
Code	Length
CO-100.510	Ø 39 cm
CO-100.511	Ø 42 cm

Polyurethane latex free and sturdy protections; perfect to wear when bathing or while taking a shower, to cover a wound or the limb medical treatment. Easy to use, there's no need of adhesives or straps, it is enough to extend the elastic opening edge.

Code	Description	Dimensions
AP17	AquaProtect arm half	43 x 17 cm
AP21	AquaProtect arm half	54 x 22 cm
AP26	AquaProtect small full arm	66 x 19 cm
AP31	AquaProtect small full arm	80 x 26 cm
LP20	AquaProtect half leg	51 x 24 cm
LP25	AquaProtect half leg	64 x 32 cm
LP33	AquaProtect full leg	84 x 31 cm
LP44	AquaProtect full leg	112 x 47 cm





EXERCISE and REHABILITATION

AQ-11N

Rehab therapy balls



Perfect for hand post-traumatic rehabilitation or for rheumatoid arthritis diseases.

Other product types

Code	Model
AQ-111	Soft – color pink
AQ-112	Medium – color blue
AQ-113	Strong - color orange

RA-216008

Pedal exerciser with gripse



Chrome-plated steel pedal exercisers perfect for post-traumatic rehabilitation and physiotherapy. Suitable for people with mobility problems. Provided with control knob to adjust the exercise intensity and height adjustable to help coordinating pedal movement. Non-slip soft plastic tips. Dimensions: 54 x 42 x 84-95 cm.

RA-216008D

Pedal exerciser with rotating grips and pole



Chrome-plated steel pedal exercisers perfect for post-traumatic rehabilitation and physiotherapy of legs or arms. Suitable for people with mobility problems. The two handles allow to adjust separately the exercise intensity of pedals and upper rotating grips. Non-slip soft plastic tips. Dimensions: 54 x 42 x 24 cm.

RA-004

Folding pedal exerciser



Chrome-plated steel pedal exercisers perfect for post-traumatic rehabilitation and physiotherapy. Suitable for people with mobility problems. Folding frame provided with control knob to adjust the exercise intensity. Available in two different colors. Non-slip soft plastic tips.

Other product types

Code	Dimensions	Color
RA-004A	41 x 41 x 24 cm	Light blue
RA-004B	41 x 41 x 24 cm	White

RA-009

Electric pedal board



Electric pedal board for physical exercise, post-traumatic rehabilitation and physiotherapy indicated for people with motor difficulties. Steel structure with ABS shell. Digital display for the definition of the work cycle parameters.

Pedal board usable for exercise of the lower and upper limbs.

RA-010

Rehabilitation pedal board with rotating handles



Pedal board for physical exercise or post-traumatic and physiotherapy rehabilitation indicated for people with motor difficulties in the lower and upper limbs.

Painted steel structure with non-slip rubber feet. Pedals with adjustable foot strap. Polyurethane handles with inclination adjustment mechanism positioned on the support rod. Effort intensity adjustment knobs.

Color range

RA-010A		Blue
Catalogue: 1786796/R		

RA-010B		White
Catalogue: 1786862/R		

RA-216005

Pedal exerciser



Chrome-plated steel pedal exercisers perfect for post-traumatic rehabilitation and physiotherapy. Suitable for people with mobility problems. Provided with control knob to adjust the exercise intensity and non-slip soft plastic tips.

Dimensions: 54 x 42 x 24 cm.

RA-007

Pedal board with digital display



Pedal board with folding structure and non-slip pedals with adjustable loops. Knob for adjusting the voltage level.

Large, easy-to-read LCD screen to display RPM, time, speed and calories burned with the simple touch of a button.

Note



Expertise, Research
Development.

INTERMED S.R.L.

via Ludovico d'Aragona, 11 - 20132 Milano (MI)

tel. +39 02.98248016 - fax +39 02.98247361

info@intermeditalia.it - www.intermeditalia.it